

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



133

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G01N 33/574, 33/48, C12Q 1/68	A1	(11) International Publication Number: WO 99/54738 (43) International Publication Date: 28 October 1999 (28.10.99)
(21) International Application Number: PCT/US99/05766 (22) International Filing Date: 16 March 1999 (16.03.99) (30) Priority Data: 09/061,709 17 April 1998 (17.04.98) US (71) Applicant: LUDWIG INSTITUTE FOR CANCER RE- SEARCH [CH/US]; 605 Third Avenue, New York, NY 10103 (US). (72) Inventors: CHEN, Yao-Tseng; 525 East 68 Street, New York, NY 10021 (US). GURE, Ali; 1275 York Avenue, New York, NY 10021 (US). TSANG, Solam; 1275 York Avenue, New York, NY 10021 (US). STOCKERT, Elisabeth; 1275 York Avenue, New York, NY 10002 (US). JAGER, Elke; Steinbacher Hohl 2-28, D-60488 Frankfurt am Main (DE). KNUTH, Alexander; Steinbacher Hohl 2-28, D-60488 Frankfurt am Main (DE). OLD, Lloyd, J.; 605 Third Avenue, New York, NY 10021 (US). (74) Agent: HANSON, Norman, D.; Fulbright & Jaworski LLP, 666 Fifth Avenue, New York, NY 10103 (US).		(81) Designated States: AU, CA, CN, JP, KR, NZ, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: ISOLATED NUCLEIC ACID MOLECULE ENCODING CANCER ASSOCIATED ANTIGENS, THE ANTIGENS PER SE, AND USES THEREOF		
(57) Abstract The invention relates to newly identified cancer associated antigens, referred to as CT7, KOC-2 and KOC-3. The invention also relates to observations regarding known molecule KOC-1. It has been discovered that each of these molecules provokes antibodies when expressed by a subject. The ramifications of this observation are also a part of this invention.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

ISOLATED NUCLEIC ACID MOLECULE ENCODING
CANCER ASSOCIATED ANTIGENS, THE ANTIGENS PER SE,
AND USES THEREOF

RELATED APPLICATION

This application is a continuation in part of Serial No. 09/061,709 filed April 17, 1998, incorporated by reference.

FIELD OF THE INVENTION

This invention relates to antigens associated with cancer, the nucleic acid molecules encoding them, as well as the uses of these.

BACKGROUND AND PRIOR ART

It is fairly well established that many pathological conditions, such as infections, cancer, autoimmune disorders, etc., are characterized by the inappropriate expression of certain molecules. These molecules thus serve as "markers" for a particular pathological or abnormal condition. Apart from their use as diagnostic "targets", i.e., materials to be identified to diagnose these abnormal conditions, the molecules serve as reagents which can be used to generate diagnostic and/or therapeutic agents. A by no means limiting example of this is the use of cancer markers to produce antibodies specific to a particular marker. Yet another non-limiting example is the use of a peptide which complexes with an MHC molecule, to generate cytolytic T cells against abnormal cells.

Preparation of such materials, of course, presupposes a source of the reagents used to generate these. Purification from cells is one laborious, far from sure method of doing so. Another preferred method is the isolation of nucleic acid molecules which encode a particular marker, followed by the use of the isolated encoding molecule to express the desired molecule.

Two basic strategies have been employed for the detection of such antigens, in e.g., human tumors. These will be referred to as the genetic approach and the biochemical approach. The genetic approach is exemplified by, e.g., dePlaen et al., Proc. Natl. Sci. USA 85: 2275

(1988), incorporated by reference. In this approach, several hundred pools of plasmids of a cDNA library obtained from a tumor are transfected into recipient cells, such as COS cells, or into antigen-negative variants of tumor cell lines which are tested for the expression of the specific antigen. The biochemical approach, exemplified by, e.g., O. Mandelboim, et al., *Nature* 369: 69 (1994) incorporated by reference, is based on acidic elution of peptides which have bound to MHC-class I molecules of tumor cells, followed by reversed-phase high performance liquid chromatography (HPLC). Antigenic peptides are identified after they bind to empty MHC-class I molecules of mutant cell lines, defective in antigen processing, and induce specific reactions with cytotoxic T-lymphocytes. These reactions include induction of CTL proliferation, TNF release, and lysis of target cells, measurable in an MTT assay, or a ^{51}Cr release assay.

These two approaches to the molecular definition of antigens have the following disadvantages: first, they are enormously cumbersome, time-consuming and expensive; and second, they depend on the establishment of cytotoxic T cell lines (CTLs) with predefined specificity.

The problems inherent to the two known approaches for the identification and molecular definition of antigens is best demonstrated by the fact that both methods have, so far, succeeded in defining only very few new antigens in human tumors. See, e.g., van der Bruggen et al., *Science* 254: 1643-1647 (1991); Brichard et al., *J. Exp. Med.* 178: 489-495 (1993); Coulie, et al., *J. Exp. Med.* 180: 35-42 (1994); Kawakami, et al., *Proc. Natl. Acad. Sci. USA* 91: 3515-3519 (1994).

Further, the methodologies described rely on the availability of established, permanent cell lines of the cancer type under consideration. It is very difficult to establish cell lines from certain cancer types, as is shown by, e.g., Oettgen, et al., *Immunol. Allerg. Clin. North. Am.*

10: 607-637 (1990). It is also known that some epithelial cell type cancers are poorly susceptible to CTLs in vitro, precluding routine analysis. These problems have stimulated the art to develop additional methodologies for identifying cancer associated antigens.

One key methodology is described by Sahin, et al., Proc. Natl. Acad. Sci. USA 92: 11810-11913 (1995), incorporated by reference. Also, see U.S. Patent No. 5,698,396, and Application Serial No. 08/479,328, filed on June 7, 1995 and January 3, 1996, respectively. All three of these references are incorporated by reference. To summarize, the method involves the expression of cDNA libraries in a prokaryotic host. (The libraries are secured from a tumor sample). The expressed libraries are then immunoscreened with absorbed and diluted sera, in order to detect those antigens which elicit high titer humoral responses. This methodology is known as the SEREX method ("Serological identification of antigens by Recombinant Expression Cloning"). The methodology has been employed to confirm expression of previously identified tumor associated antigens, as well as to detect new ones. See the above referenced patent applications and Sahin, et al., supra, as well as Crew, et al., EMBO J 144: 2333-2340 (1995).

This methodology has been applied to a range of tumor types, including those described by Sahin et al., supra, and Pfreundschuh, supra, as well as to esophageal cancer (Chen et al., Proc. Natl. Acad. Sci. USA 94: 1914-1918 (1997)); lung cancer (Güre et al., Cancer Res. 58: 1034-1041 (1998)); colon cancer (Serial No. 08/948,705 filed October 10, 1997) incorporated by reference, and so forth. Among the antigens identified via SEREX are the SSX2 molecule (Sahin et al., Proc. Natl. Acad. Sci. USA 92: 11810-11813 (1995); Tureci et al., Cancer Res. 56: 4766-4772 (1996); NY-ESO-1 Chen, et al., Proc. Natl. Acad. Sci. USA 94: 1914-1918 (1997); and SCP1 (Serial No. 08/892,705 filed July 15, 1997) incorporated by reference.

Analysis of SEREX identified antigens has shown overlap between SEREX defined and CTL defined antigens. MAGE-1, tyrosinase, and NY-ESO-1 have all been shown to be recognized by patient antibodies as well as CTLs, showing that humoral and cell mediated responses do act in concert.

It is clear from this summary that identification of relevant antigens via SEREX is a desirable aim. The inventors have modified standard SEREX protocols and have screened a cell line known to be a good source of the antigens listed supra, using allogeneic patient sample. New antigens have been identified in this way and have been studied. Also, a previously known molecule has now been identified via SEREX techniques.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

Example 1

The melanoma cell referred to as SK-MEL-37 was used, because it has been shown to express a number of members of the CT antigen family, including MAGE-1 (Chen et al., Proc. Natl. Acad. Sci. USA 91: 1004-1008 (1994); NY-ESO-1 (Chen et al. Proc. Natl. Acad. Sci. USA 94: 1914-1918 (1997)); and various members of the SSX family (Gure et al., Int. J. Cancer 72: 965-971 (1997)).

Total RNA was extracted from cultured samples of SK-MEL-37 using standard methods, and this was then used to construct a cDNA library in commercially available, λ ZAP expression vector, following protocols provided by the manufacturer. The cDNA was then transfected into E. coli and screened, following Sahin et al., Proc. Natl. Acad. Sci. USA 92: 11810-11813 (1995), incorporated by reference, and Pfreundschuh, U.S. Patent No. 5,698,396, also incorporated by reference. The screening was done with allogeneic patient serum "NW38." This serum had been shown, previously, to contain high titer antibodies against MAGE-1 and NY-

ESO-1. See, e.g., Jäger et al., J. Exp. Med. 187: 265-270 (1998), incorporated by reference. In brief, serum was diluted 1:10, preabsorbed with lysates of transfected E. coli, further diluted to 1:2000, and then incubated overnight at room temperature with nitrocellulose membranes containing phage plaques, prepared in accordance with Sahin et al., and Pfreundschuh, supra. The library contained a total of 2.3×10^7 primary clones. After washing, the filters were incubated with alkaline phosphatase conjugated, goat anti-human Fcy secondary antibodies, and were then visualized by incubating with 5-bromo-4-chloro-3-indolyl phosphate, and nitroblue tetrazolium.

After screening 1.5×10^5 of the clones, a total of sixty-one positives had been identified. Given this number, screening was stopped, and the positive clones were subjected to further analysis.

Example 2

The positive clones identified in example 1, supra, were purified, the inserts were excised in vitro, and inserted into a commercially available plasmid, pBK-CMV, and then evaluated on the basis of restriction mapping with EcoRI and XbaI. Clones which represented different inserts on the basis of this step were sequenced, using standard methodologies.

There was a group of 10 clones, which could not be classified other than as "miscellaneous genes", in that they did not seem to belong to any particular family. They consisted of 9 distinct genes, of which four were known, and five were new. The fifty one remaining clones were classified into four groups. The data are presented in Tables 1 and 2, which follow.

The largest group are genes related to KOC ("KH-domain containing gene, overexpressed in cancer" which has been shown to be overexpressed in pancreatic cancer, and maps to

chromosome 7p11.5. See Müller-Pillasch et al., *Oncogene* 14: 2729-2733 (1997). Two of the 33 were derived from the KOC gene, and the other 31 were derived from two previously unidentified, but related genes. Examples 6 et seq. describe work on this group of clones.

Eleven clones, i.e., Group 2, were MAGE sequences. Four were derived from MAGE-4a, taught by DePlaen et al., *Immunogenetics* 40: 360-369, Genbank U10687, while the other 7 hybridized to a MAGE-4a probe, derived from the 5' sequence, suggesting they belong to the MAGE family.

The third group consisted of five clones of the NY-ESO-1 family. Two were identical to the gene described by Chen et al., *Proc. Natl. Acad. Sci. USA* 94: 1914-1918 (1997), and in Serial No. 08/725,182, filed October 3, 1996, incorporated by reference. The other three were derived from a second member of the NY-ESO-1 family, i.e., LAGE-1. See U.S. application Serial No. 08/791,495, filed January 27, 1997 and incorporated by reference.

The fourth, and final group, related to a novel gene referred to as CT7. This gene, the sequence of which is presented as SEQ ID NO: 1, was studied further.

Table 1. SEREX-identified genes from allogeneic screening of SK-MEL-37 library

Gene group	# of clones	Comments
KOC	33	derived from 3 related genes
MAGE	11	predominantly MAGE-4a (see text)
NY-ESO-1	5	derived from 2 related genes (NY-ESO-1, LAGE-1)
CT7	2	new cancer/testis antigen
Miscellaneous	10	see Table 2

Table 2. SEREX-identified genes from allogeneic screening of SK-MEL-37 library--
Miscellaneous group

Clone designation	Gene
MNW-4, MNW-7	S-adenyl homocysteine hydrolase
MNE-6a	Glutathione synthetase
MNW-24	proliferation-associated protein p38-2G4
MNW-27a	phosphoribosyl pyrophosphate synthetase-associated protein 39
MNW-6b	unknown gene, identical to sequence tags from pancreas, uterus etc.
MNW-14b	unknown gene, identical to sequence tags from lung, brain, fibroblast etc.
MNW-34a	unknown gene, identical to sequence tags from multiple tissues
MNW-17	unknown gene, identical to sequence tags from pancreas and fetus
MNW-29a	unknown gene, no significant sequence homology, universally expressed

Example 3

The two clones for CT7, referred to supra, were 2184 and 1965 base pairs long. Analysis of the longer one was carried out. It presented an open reading frame of 543 amino acids, which extended to the 5' end of the sequence, indicating that it was a partial cDNA clone.

In order to identify the complete sequence, and to try to identify additional, related genes, a human testicular cDNA library was prepared, following standard methods, and screened with probes derived from the longer sequence, following standard methods.

Eleven positives were detected, and sequenced, and it was found that all derived from the same gene. When the polyA tail was excluded, full length transcript, as per SEQ ID NO: 1, consisted of 4265 nucleotides, broken down into 286 base pairs of untranslated 5' - region, a coding region of 3429 base pairs, and 550 base pairs of untranslated 3' region. The predicted protein is 1142 amino acids long, and has a calculated molecular mass of about 125 kilodaltons. See SEQ ID NO: 2.

The nucleotide and deduced amino acid sequences were screened against known databases, and there was some homology with the MAGE-10 gene, described by DePlaen et al., Immunogenetics 40: 360-369 (1994). The homology was limited to about 210 carboxy terminal amino acids, i.e., amino acids 908-1115 of the subject sequence, and 134-342 of MAGE-10. The percent homology was 56%, rising to 75% when conservative changes are included.

There was also extensive homology with a sequence reported by Lucas et al., Canc. Res. 58: 743-752 (1998), and application Serial No. 08/845,528 filed April 25, 1997, also incorporated by reference. A total of 14 nucleotides differ in the open reading frame, resulting in a total of 11 amino acids which differ between the sequences.

The 5' region of the nucleotide and sequence and corresponding amino acid sequence demonstrates a strikingly repetitive pattern, with repeats rich in serine, proline, glutamine, and leucine, with an almost invariable core of PQSPLQI (SEQ ID NO: 3). In the middle of the molecule, 11 almost exact repeats of 35 amino acids were observed. The repetitive portions make up about 70% of the entire sequence, begin shortly after translation initiation, at position 15, and ending shortly before the region homologous to MAGE 4a.

Example 4

The expression pattern for mRNA of CT7 was then studied, in both normal and malignant tissues. RT-PCR was used, employing primers specific for the gene. The estimated melting temperature of the primers was 65-70°C, and they were designed to amplify 300-600 base pair segments. A total of 35 amplification cycles were carried out, at an annealing temperature of 60°C. Table 3, which follows, presents the data for human tumor tissues. CT7 was expressed in a number of different samples. Of fourteen normal tissues tested, there was strong expression in testis, and none in colon, brain, adrenal, lung, breast, pancreas, prostate, thymus or uterus tissue. There was low level expression in liver, kidney, placenta and fetal brain, with fetal brain showing three transcripts of different size. The level of expression was at least 20-50 times lower than in testis. Melanoma cell lines were also screened. Of these 7 of the 12 tested showed strong expression, and one showed weak expression.

Table 3. CT7 mRNA expression in various humor tumors by RT-PCR

Tumor type	mRNA, positive/total
Melanoma	7/10
Breast cancer	3/10
Lung cancer	3/9
Head/neck cancer	5/14
Bladder cancer	4/9
Colon cancer	1/10
Leimyosarcoma	1/4
synovial sarcoma	2/4
Total	26/70

Example 5

Southern blotting experiments were then carried out to determine if CT7 belonged to a family of genes. In these experiments, genomic DNA was extracted from normal human tissues. It was digested with BamHI, EcoRI, and HindIII, separated on a 0.7% agarose gel, blotted onto a nitrocellulose filter, and hybridized, at high stringency (65°C, aqueous buffer), with a ³²P labelled probe, derived from SEQ ID NO: 1.

The blotting showed anywhere from two to four bands, suggesting one or two genes in the family.

Example 6

As noted in example 2, supra, thirty three of the sixty one positive clones were related to KOC. Clones were sequenced using standard methodologies. As indicated supra, one clone

was identical to KOC, initially reported by Müller-Pillasch, et al., supra. Given that two additional related sequences were identified, the known KOC gene is referred to as KOC-1 hereafter (SEQ ID NO: 4). The second clone, referred to as KOC-2 hereafter, was found once. The sequence is presented as SEQ ID NO: 5. Its deduced amino acid sequence is 72.5% identical to that for KOC-1.

The third sequence, KOC-3, appeared thirty times (SEQ ID NO: 6). Its deduced amino acid sequence is 63% identical to KOC-1.

Testicular cDNA libraries were analyzed in the same way that the SK-MEL-37 library was analyzed, i.e., with allogeneic serum from NW-38. See example 3, supra.

Following analysis of testicular libraries, a longer form of KOC-2 was isolated. This is presented as SEQ ID NO: 7. When SEQ ID NOS: 5 & 7 are compared, the former is 1705 base pairs in length, without a polyA tail. It contains 1362 base pairs of coding sequence, and 343 base pairs of 3' untranslated sequence. Nucleotides 275-1942 of SEQ ID NO: 7 are identical to nucleotides 38-1705 of SEQ ID NO: 5.

The sequence of KOC-3, set forth as SEQ ID NO: 6, is 3412 base pairs long, and consists of 72 base pairs of 5' untranslated region, 1707 base pairs of open reading frame, and 1543 base pairs of untranslated, 3' region. An alternate form was also isolated, (SEQ ID NO: 8), and is 129 base pairs shorter than SEQ ID NO: 6.

Example 7

Expression patterns for KOC-1, KOC-2 and KOC-3 were then studied, using RT-PCR and the following primer pairs:

GAAAGTATCT TCAAGGACGC C

CTGCAAGGGG TTTTGCTGGG CG

(SEQ ID NOS: 9 & 10).

TCCTTGCGCG CTGCGGCCTC AG

CCAACTGGTG GCCATTCAGCT TC

(SEQ ID NOS: 11 & 12)

GCTCTTTGGG GACAGGAAGG TC

GACGTTGACA ACGGCGGTTT CT

(SEQ ID NOS: 13 & 14).

SEQ ID NOS: 9 & 10 were designed to amplify KOC-1 while SEQ ID NOS: 11 & 12 were designed to amplify KOC-2, and SEQ ID NOS: 13 & 14 were designed to amplify KOC-3.

To carry out the RT-PCR, relevant primer pairs were added to cDNA samples prepared from various mRNAs by reverse transcription. PCR was then carried out at an annealing temperature of 60°C, and extension at 72°C, for 35 cycles. The resulting products were then analyzed by gel electrophoresis.

SEQ ID NOS 9 & 10 amplify nucleotides 305-748 of SEQ ID NO: 1. A variety of normal and malignant cell types were tested. Strong expression was found in testis, moderate expression in normal brain, and low levels of expression were found in normal colon, kidney, and liver.

The Müller-Pillasch paper, cited supra, identified expression of KOC-1 in pancreatic tumor cell lines, gastric cancer, and normal placenta, via Northern blotting. This paper also reported that normal heart, brain, lung, liver, kidney and pancreatic tissue were negative for

KOC-1 expression. The difference in results suggests that the level of expression of KOC-1 is very low in normal tissues.

When KOC-2 expression was studied, the only positive normal tissue was testis (brain, liver, kidney and colon were negative).

Modification of the protocol for detecting KOC-2 resulted in positives in normal kidney, liver and melanoma.

When KOC-3 expression was studied, it was found that the gene was universally expressed in normal tissues, with highest expression in testis.

The pattern of expression of KOC-3 in different melanoma cell lines was analyzed, using standard Northern blotting. Over expression in several cell lines was observed, which is consistent with the more frequent isolation of this clone than any other.

Example 8

A study was carried out to determine if KOC-1 is expressed at higher levels in melanoma cells, as compared to normal skin cells. This was done using representational difference analysis, or "RDA." See Lisitsyn, et al. Science 259: 946-951 (1993), and O'Neill, et al. Nucl. Acids Res. 25:2681-2 (1997), both of which are incorporated by reference. Specifically, tester cDNA was taken from SK-MEL-37, and driver cDNA was taken from a skin sample representing mRNA from various cell types in the skin. The cDNAs were digested with either Tsp509I, Hsp92II, or DpnII. When DpnII was the enzyme used for digestion, adaptor oligonucleotides R-Bgl-24, J-Bgl-24, and N-Bgl-24 described by O'Neill, et al., supra, and Hubank, et al. Nucl. Acids Res.

22:5640-5648 (1994) were used. When Tsp509I was the endonuclease, the same adaptors were used, as were R-Tsp-12, i.e.:

AATTTGCGGT GA

(SEQ ID NO: 15)

J-Tsp-12, i.e.:

AATTTGTTCA TG

(SEQ ID NO: 16)

and N-Tsp-12, i.e.:

AATTTTCCT CG

(SEQ ID NO: 17)

When Hsp92II was the endonuclease, the adaptors were:

R-Hsp-24, i.e.:

AGCACTCTCC AGCCTCTCAC CATG

(SEQ ID NO: 18);

J-Hsp-24, i.e.:

ACCGACGTCG ACTATCATG CATG

(SEQ ID NO: 19);

N-Hsp-24, i.e.:

AGGCAACTGT GCTATCCGAG CATG

(SEQ ID NO: 20);

R-Hsp-8, i.e.:

GTGAGAGG

(SEQ ID NO: 21);

J-Hsp-8, i.e.:

CATGGATG

(SEQ ID NO: 22);

N-Hsp-8, i.e.:

CTCGGATA

(SEQ ID NO: 23).

In order to hybridize tester and driver, either 3XEE buffer (30mM EPPS, pH8, 3mM EDTA), or a buffer of 2.4M tetraethylammonium chloride (TEACl) 3mM EDTA, 10mM Tris HCl, pH8, was used. When DNA was dissolved in 10 μ l of TEACl buffer, it was denatured at 80°C for 10 minutes, followed by renaturing at 42°C for 20 hours. Amplicons were gel purified, and the DP3 or DP2 product was ligated into BamHI (when DpnII was used), EcoRI (when Tsp 509I was used), or SpHI (when Hsp92II was used), cloning vectors were digested, and then sequenced. Sequence analysis of the cDNA molecules derived from these experiments identified KOC-1 as one of the genes isolated, indicating that KOC-1 mRNA is present at a higher level in Sk-Mel 37 cells as compared to normal skin cells.

The foregoing examples describe the isolation of a nucleic acid molecule which encodes a cancer associated antigen. "Associated" is used herein because while it is clear that the relevant molecule was expressed by several types of cancer, other cancers, not screened herein, may also express the antigen.

The invention relates to those nucleic acid molecules which encode the antigens CT7, KOC-2 and KOC-3, as described herein, such as a nucleic acid molecule consisting of the nucleotide sequence SEQ ID NO: 1, molecules comprising the nucleotide sequence of SEQ ID

NO: 5, 6, 7 or 8 and so forth. Also embraced are those molecules which are not identical to SEQ ID NOS: 1, 5, 6, 7 or 8, but which encode the same antigen.

Also a part of the invention are expression vectors which incorporate the nucleic acid molecules of the invention, in operable linkage (i.e., "operably linked") to a promoter. Construction of such vectors, such as viral (e.g., adenovirus or Vaccinia virus) or attenuated viral vectors is well within the skill of the art, as is the transformation or transfection of cells, to produce eukaryotic cell lines, or prokaryotic cell strains which encode the molecule of interest. Exemplary of the host cells which can be employed in this fashion are COS cells, CHO cells, yeast cells, insect cells (e.g., *Spodoptera frugiperda*), NIH 3T3 cells, and so forth. Prokaryotic cells, such as *E. coli* and other bacteria may also be used. Any of these cells can also be transformed or transfected with further nucleic acid molecules, such as those encoding cytokines, e.g., interleukins such as IL-2, 4, 6, or 12 or HLA or MHC molecules.

Also a part of the invention are the antigens described herein, both in original form and in any different post translational modified forms. The molecules are large enough to be antigenic without any posttranslational modification, and hence are useful as immunogens, when combined with an adjuvant (or without it), in both precursor and post-translationally modified forms. Antibodies produced using these antigens, both poly and monoclonal, are also a part of the invention as well as hybridomas which make monoclonal antibodies to the antigens. The whole protein can be used therapeutically, or in portions, as discussed *infra*. Also a part of the invention are antibodies against this antigen, be these polyclonal, monoclonal, reactive fragments, such as Fab, (F(ab)₂)' and other fragments, as well as chimeras, humanized antibodies, recombinantly produced antibodies, and so forth.

As is clear from the disclosure, one may use the proteins and nucleic acid molecules of the invention diagnostically. The SEREX methodology discussed herein is premised on an immune response to a pathology associated antigen. Hence, one may assay for the relevant pathology via, e.g., testing a body fluid sample of a subject, such as serum, for reactivity with the antigen per se. Reactivity would be deemed indicative of possible presence of the pathology. So, too, could one assay for the expression of any of the antigens via any of the standard nucleic acid hybridization assays which are well known to the art, and need not be elaborated upon herein. One could assay for antibodies against the subject molecules, using standard immunoassays as well.

Analysis of SEQ ID NO: 1, 5, 6, 7 and 8 will show that there are 5' and 3' non-coding regions presented therein. The invention relates to those isolated nucleic acid molecules which contain at least the coding segment, i.e., nucleotides 54-593, of SEQ ID NO: 1, nucleotides 1-1019 of SEQ ID NO: 3, nucleotides 73-1780 of SEQ ID NO: 8, and so forth, and which may contain any or all of the non-coding 5' and 3' portions.

Also a part of the invention are portions of the relevant nucleic acid molecules which can be used, for example, as oligonucleotide primers and/or probes, such as one or more of SEQ ID NOS: 7, 8, 9, 10, 11, 12, 13 or 14 as well as amplification product like nucleic acid molecules comprising at least nucleotides 305-748 of SEQ ID NO: 1.

As was discussed supra, study of other members of the "CT" family reveals that these are also processed to peptides which provoke lysis by cytolytic T cells. There has been a great deal of work on motifs for various MHC or HLA molecules, which is applicable here. Hence, a further aspect of the invention is a therapeutic method, wherein one or more peptides derived

from the antigens of the invention which bind to an HLA molecule on the surface of a patient's tumor cells are administered to the patient, in an amount sufficient for the peptides to bind to the MHC/HLA molecules, and provoke lysis by T cells. Any combination of peptides may be used. These peptides, which may be used alone or in combination, as well as the entire protein or immunoreactive portions thereof, may be administered to a subject in need thereof, using any of the standard types of administration, such as intravenous, intradermal, subcutaneous, oral, rectal, and transdermal administration. Standard pharmaceutical carriers, adjuvants, such as saponins, GM-CSF, and interleukins and so forth may also be used. Further, these peptides and proteins may be formulated into vaccines with the listed material, as may dendritic cells, or other cells which present relevant MHC/peptide complexes.

Similarly, the invention contemplates therapies wherein nucleic acid molecules which encode the proteins of the invention, one or more or peptides which are derived from these proteins are incorporated into a vector, such as a Vaccinia or adenovirus based vector, to render it transfectable into eukaryotic cells, such as human cells. Similarly, nucleic acid molecules which encode one or more of the peptides may be incorporated into these vectors, which are then the major constituent of nucleic acid bases therapies.

Any of these assays can also be used in progression/regression studies. One can monitor the course of abnormality involving expression of these antigens simply by monitoring levels of the protein, its expression, antibodies against it and so forth using any or all of the methods set forth supra.

It should be clear that these methodologies may also be used to track the efficacy of a therapeutic regime. Essentially, one can take a baseline value for a protein of interest using any

of the assays discussed supra, administer a given therapeutic agent, and then monitor levels of the protein thereafter, observing changes in antigen levels as indicia of the efficacy of the regime.

As was indicated supra, the invention involves, inter alia, the recognition of an "integrated" immune response to the molecules of the invention. One ramification of this is the ability to monitor the course of cancer therapy. In this method, which is a part of the invention, a subject in need of the therapy receives a vaccination of a type described herein. Such a vaccination results, e.g., in a T cell response against cells presenting HLA/peptide complexes on their cells. The response also includes an antibody response, possibly a result of the release of antibody provoking proteins via the lysis of cells by the T cells. Hence, one can monitor the effect of a vaccine, by monitoring an antibody response. As is indicated, supra, an increase in antibody titer may be taken as an indicia of progress with a vaccine, and vice versa. Hence, a further aspect of the invention is a method for monitoring efficacy of a vaccine, following administration thereof, by determining levels of antibodies in the subject which are specific for the vaccine itself, or a large molecule of which the vaccine is a part.

The identification of the subject proteins as being implicated in pathological conditions such as cancer also suggests a number of therapeutic approaches in addition to those discussed supra. The experiments set forth supra establish that antibodies are produced in response to expression of the protein. Hence, a further embodiment of the invention is the treatment of conditions which are characterized by aberrant or abnormal levels of one or more of the proteins, via administration of antibodies, such as humanized antibodies, antibody fragments, and so forth. These may be tagged or labelled with appropriate cystostatic or cytotoxic reagents.

T cells may also be administered. It is to be noted that the T cells may be elicited in vitro using immune responsive cells such as dendritic cells, lymphocytes, or any other immune responsive cells, and then reperfused into the subject being treated.

Note that the generation of T cells and/or antibodies can also be accomplished by administering cells, preferably treated to be rendered non-proliferative, which present relevant T cell or B cell epitopes for response, such as the epitopes discussed supra.

The therapeutic approaches may also include antisense therapies, wherein an antisense molecule, preferably from 10 to 100 nucleotides in length, is administered to the subject either "naked" or in a carrier, such as a liposome, to facilitate incorporation into a cell, followed by inhibition of expression of the protein. Such antisense sequences may also be incorporated into appropriate vaccines, such as in viral vectors (e.g., Vaccinia), bacterial constructs, such as variants of the known BCG vaccine, and so forth.

Also a part of the inventions are Peptides, such as those set forth in Figure 1, and those which have as a core sequence

PQSPLQI (SEQ ID NO.: 3)

These peptides may be used therapeutically, via administration to a patient who expresses CT7 in connection with a pathology, as well as diagnostically, i.e., to determine if relevant antibodies are present and so forth.

Other features and applications of the invention will be clear to the skilled artisan, and need not be set forth herein. The terms and expression which have been employed are used as terms of description and not of limitation, and there is no intention in the use of such terms and expression of excluding any equivalents of the features shown and described or portions thereof, it being recognized that various modifications are possible within the scope of the invention.

We claim:

1. Isolated nucleic acid molecule which encodes a cancer associated antigen, whose amino acid sequence is identical to the amino sequence encoded by nucleotides 287 to 3714 of SEQ ID NO: 1.
2. The isolated nucleic acid molecule of claim 1, consisting of nucleotides 287-3714 of SEQ ID NO: 1.
3. The isolated nucleic acid molecule of claim 1, consisting of anywhere from nucleotide 1 through nucleotide 4265 of SEQ ID NO: 1, with the proviso that said isolated nucleic acid molecule contains at least nucleotides 287-3714 of SEQ ID NO: 1.
4. Expression vector comprising the isolated nucleic acid molecule of claim 1, operably linked to a promoter.
5. Expression vector comprising the isolated nucleic acid molecule of claim 3, operably linked to a promoter.
6. Eukaryotic cell line or prokaryotic cell strain, transformed or transfected with the expression vector of claim 4.
7. Eukaryotic cell line or prokaryotic cell strain, transformed or transfected with the expression vector of claim 5.
8. Isolated cancer associated antigen comprising all or part of the amino acid sequence encoded by nucleotides 287-3714 of SEQ ID NO: 1.
9. Eukaryotic cell line or prokaryote cell strain, transformed or transfected with the isolated nucleic acid molecule of claim 1.
10. The eukaryotic cell line of claim 9, wherein said cell line is also transfected with a nucleic acid molecule coding for a cytokine.

11. The eukaryotic cell line of claim 10, wherein said cell line is further transfected by a nucleic acid molecule coding for an HLA molecule.
12. The eukaryotic cell line of claim 10, wherein said cytokine is an interleukin.
13. The biologically pure culture of claim 12, wherein said interleukin is IL-2, IL-4 or IL-12.
14. The eukaryotic cell line of claim 9, wherein said cell line has been rendered non-proliferative.
15. The eukaryotic cell line of claim 9, wherein said cell line is a fibroblast cell line.
16. Expression vector comprising a mutated or attenuated virus and the isolated nucleic acid molecule of claim 1.
17. The expression vector of claim 16, wherein said virus is adenovirus or vaccinia virus.
18. The expression vector of claim 17, wherein said virus is vaccinia virus.
19. The expression vector of claim 17, wherein said virus is adenovirus.
20. Expression system useful in transfecting a cell, comprising (i) a first vector containing a nucleic acid molecule which codes for the isolated cancer associated antigen of claim 8 and (ii) a second vector selected from the group consisting of (a) a vector containing a nucleic acid molecule which codes for an MHC or HLA molecule which presents an antigen derived from said cancer associated antigen and (b) a vector containing a nucleic acid molecule which codes for an interleukin.
21. Isolated cancer associated antigen comprising the amino acid sequence encoded by nucleotides 287-3714 of SEQ ID NO: 1.

22. Immunogenic composition comprising the isolated antigen of claim 21, and a pharmaceutically acceptable adjuvant.
23. The immunogenic composition of claim 22, wherein said adjuvant is a cytokine, a saponin, or GM-CSF.
24. Immunogenic composition comprising at least one peptide consisting of an amino acid sequence of from 8 to 12 amino acids concatenated to each other in the isolated cancer associated antigen of claim 21, and a pharmaceutically acceptable adjuvant.
25. The immunogenic composition of claim 24, wherein said adjuvant is a saponin, a cytokine, or GM-CSF.
26. The immunogenic composition of claim 24, wherein said composition comprises a plurality of peptides which complex with a specific MHC molecule.
27. Isolated peptide derived from the amino acid sequence encoded by SEQ ID NO: 1, wherein said isolated peptide binds to an HLA molecule, is a nonamer, decamer or undecamer, and comprises the amino acid sequence of SEQ ID NO: 3, from one to three additional N-terminal amino acid, and up to four additional C terminal amino acids.
28. Immunogenic composition which comprises at least one expression vector which encodes for a peptide derived from the amino acid sequence encoded by SEQ ID NO: 1, and an adjuvant or carrier.
29. The immunogenic composition of claim 28, wherein said at least one expression vector codes for a plurality of peptides.
30. Vaccine useful in treating a subject afflicted with a cancerous condition comprising the isolated cell line of claim 11 and a pharmacologically acceptable adjuvant.

31. The vaccine of claim 30, wherein said cell line has been rendered non-proliferative.
32. The vaccine of claim 31, wherein said cell line is a human cell line.
33. A composition of matter useful in treating a cancerous condition comprising a non proliferative cell line having expressed on its surface a peptide derived from the amino acid sequence encoded by SEQ ID NO: 1.
34. The composition of matter of claim 33, wherein said cell line is a human cell line.
35. A composition of matter useful in treating a cancerous condition, comprising (i) a peptide derived from the amino acid sequence encoded by SEQ ID NO: 1, (ii) an MHC or HLA molecule, and (iii) a pharmaceutically acceptable carrier.
36. Isolated antibody which is specific for the antigen of claim 21.
37. The isolated antibody of claim 36, wherein said antibody is a monoclonal antibody.
38. Method for screening for cancer in a sample, comprising contacting said sample with a nucleic acid molecule which hybridizes to all or part of SEQ ID NO: 1, and determining hybridization as an indication of cancer cells in said sample.
39. A method for screening for cancer in a sample, comprising contacting said sample with the isolated antibody of claim 36, and determining binding of said antibody to a target as an indicator of cancer.
40. Method for diagnosing a cancerous condition in a subject, comprising contacting an immune reactive cell containing sample of said subject to a cell line transfected with the isolated nucleic acid molecule of claim 1, and determining interaction of said transfected cell line with said immunoreactive cell, said interaction being indicative of said cancer condition.

41. A method for determining regression, progression of onset of a cancerous condition comprising monitoring a sample from a patient with said cancerous condition for a parameter selected from the group consisting of (i) CT7 protein, (ii) a peptide derived from CT7 protein (iii) cytolytic T cells specific for said peptide and an MHC molecule with which it non-covalently complexes, and (iv) antibodies specific for said CT7 protein, wherein amount of said parameter is indicative of progression or regression or onset of said cancerous condition.

42. Method of claim 41, wherein said sample is a body fluid or exudate.

43. Method of claim 41, wherein said sample is a tissue.

44. Method of claim 41, comprising contacting said sample with an antibody which specifically binds with said protein or peptide.

45. Method of claim 44, wherein said antibody is labelled with a radioactive label or an enzyme.

46. Method of claim 44, wherein said antibody is a monoclonal antibody.

47. Method of claim 41, comprising amplifying RNA which codes for said protein.

48. Method of claim 47, wherein said amplifying comprises carrying out polymerase chain reaction.

49. Method of claim 41, comprising contacting said sample with a nucleic acid molecule which specifically hybridizes to a nucleic acid molecule which codes for or expresses said protein.

50. Method of claim 41, comprising assaying said sample for shed protein.

51. Method of claim 41, comprising assaying said sample for antibodies specific for said CT7 protein, by contacting said sample with CT7 protein.

52. Method for diagnosing a cancerous condition comprising assaying a sample taken from a subject for an immunoreactive cell specific for a peptide derived from CT7, complexed to an MHC molecule, presence of said immunoreactive cell being indicative of said cancerous condition.

53. An isolated nucleic acid molecule which encodes a protein and which has a complementary sequence which hybridizes, under stringent conditions, to at least one of the nucleotide sequences set forth at SEQ ID NO: 5, 6, 7 or 8.

54. The isolated nucleic acid molecule of claim 53, wherein said protein is the protein encoded by the nucleotide sequence of SEQ ID NO: 5, 6, 7 or 8.

55. The isolated nucleic acid molecule of claim 53, selected from the group consisting of nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO: 5, 6, 7 or 8.

56. Expression vector comprising the isolated nucleic acid molecule of claim 54, operably linked to a promoter.

57. Expression vector comprising the isolated nucleic acid molecule of claim 55, operably linked to a promoter.

58. Recombinant cell comprising the expression vector of claim 56.

59. Recombinant cell comprising the expression vector of claim 57.

60. Recombinant cell comprising the isolated nucleic acid molecule of claim 54.

61. Recombinant cell comprising the isolated nucleic acid molecule of claim 55.

62. Recombinant cell of claim 58, further comprising an expression vector which contains a nucleic acid molecule encoding a cytokine, operably linked to a promoter.

63. Recombinant cell of claim 59, further comprising an expression vector which contains a nucleic acid molecule encoding a cytokine, operably linked to a promoter.

64. Recombinant cell of claim 60, further comprising a nucleic acid molecule which encodes a cytokine.

65. Recombinant cell of claim 61, further comprising a nucleic acid molecule which encodes a cytokine.

66. The recombinant cell of claim 62, 63, 64, or 65, wherein said cytokine is interleukin.

67. The recombinant cell of claim 66, wherein said interleukin is 1L-2, 1L-4, or 1L-12.

68. The recombinant cell of claim 58, 59, 60, or 61, wherein said recombinant cell is a eukaryotic cell.

69. The recombinant cell of claim 68, which has been rendered non-proliferative.

70. The recombinant cell of claim 68, wherein said cell is a fibroblast.

71. Expression vector comprising a mutated or attenuated virus and the isolated nucleic acid molecule of claim 53, 54 or 55.

72. The expression vector of claim 71, wherein said virus is adenovirus, adeno associated virus, or vaccinia virus.

73. Expression system useful in making a recombinant cell, comprising:

(i) a first vector which encodes the protein encoded by the isolated nucleic acid molecule of claim 53, 54 or 55, and

(ii) a second vector which either (a) encodes an MHC or HLA molecule or (b) encodes an interleukin.

74. An isolated cancer associated antigen comprising the amino acid sequence encoded by SEQ ID NO: 5, 6, 7 or 8.

75. Composition comprising the isolated cancer associated antigen of claim 74, and a pharmaceutically acceptable adjuvant.
76. The composition of claim 75, wherein said adjuvant is a cytokine, a saponin, or GM-CSF.
77. Composition comprising at least one peptide consisting of an amino acid sequence of from 8 to 25 amino acids concatenated to each other in the isolated cancer associated antigen of claim 74, and a pharmaceutically acceptable adjuvant.
78. The composition of claim 77, wherein said adjuvant is a saponin, a cytokine, or GM-CSF.
79. The composition of claim 77, comprising a plurality of MHC binding peptides.
80. Composition comprising an expression vector which encodes at least one peptide consisting of an amino acid sequence of from 8 to 25 amino acids concatenated to each other in the isolated cancer associated antigen of claim 74, and pharmaceutically acceptable adjuvant.
81. The composition of claim 80, wherein said expression vector encodes a plurality of peptides.
82. Composition useful in treating a subject afflicted with a cancer, comprising the recombinant cell of claim 69 and a pharmacologically acceptable adjuvant.
83. The composition of claim 82, wherein said recombinant cell expresses an HLA or MHC molecule.
84. The composition of claim 82, wherein said recombinant cell is a human cell.
85. The composition of claim 77, further comprising at least one MHC or HLA molecule.

86. Isolated antibody which specifically binds to the isolated cancer associated antigen of claim 74.

87. The isolated antibody of claim 86, wherein said antibody is a monoclonal antibody.

88. A method for screening for possible presence of a pathological condition, comprising assaying a sample from a patient believed to have a pathological condition for antibodies specific to at least one of the cancer associated antigens encoded by SEQ ID NOS: 4, 5, 6, 7 or 8, presence of said antibodies being indicative of possible presence of said pathological condition.

89. The method of claim 88, wherein said pathological condition is cancer.

90. The method of claim 89, wherein said cancer is melanoma.

91. The method of claim 90, further comprising contacting said sample to purified cancer associated antigen encoded by SEQ ID NO: 4, 5, 6, 7 or 8.

92. A method for screening for possible presence of a pathological condition in a subject, comprising assaying a sample taken from said subject for expression of a nucleic acid molecule, the nucleotide sequence of which comprises SEQ ID NO: 5, 6, 7 or 8, expression of said nucleic acid molecule being indicative of possible presence of said pathological condition.

93. The method of claim 92, wherein said pathological condition is cancer.

94. The method of claim 92, comprising determining expression via polymerase chain reaction.

95. The method of claim 92, comprising determining expression by contacting said sample with at least one of SEQ ID NO: 11, 12, 13 or 14.

96. A method for determining regression, progression of onset of a cancerous condition comprising monitoring a sample from a patient with said cancerous condition for a parameter selected from the group consisting of (i) a cancer associated antigen encoded by SEQ ID NO: 3, 4, 5 or 6, (ii) a peptide derived from said cancer associated antigen, (iii) cytolytic T cells specific for said peptide and an MHC molecule with which it non-covalently complexes, and (iv) antibodies specific for said cancer associated antigen, wherein amount of said parameter is indicative of progression or regression or onset of said cancerous condition.

97. The method of claim 96, wherein said sample is a body fluid or exudate.

98. The method of claim 96, wherein said sample is a tissue.

99. The method of claim 96, comprising contacting said sample with an antibody which specifically binds with said protein or peptide.

100. The method of claim 99, wherein said antibody is labelled with a radioactive label or an enzyme.

101. The method of claim 99, wherein said antibody is a monoclonal antibody.

102. The method of claim 96, comprising amplifying RNA which codes for said protein.

103. The method of claim 102, wherein said amplifying comprises carrying out polymerase chain reaction.

104. The method of claim 96, comprising contacting said sample with a nucleic acid molecule which specifically hybridizes to a nucleic acid molecule which codes for or expresses said protein.

105. The method of claim 96, comprising assaying said sample for shed cancer associated antigen.

106. The method of claim 96, comprising assaying said sample for antibodies specific for said cancer associated antigen, by contacting said sample with said cancer associated antigen.

107. Method for screening for a cancerous condition comprising assaying a sample taken from a subject for an immunoreactive cell specific for a peptide derived from a cancer associated antigen encoded by SEQ ID NO: 4, 5, 6, 7 or 8 complexed to an MHC molecule, presence of said immunoreactive cell being indicative of said cancerous condition.

108. An isolated nucleic acid molecule consisting of a nucleotide sequence defined by SEQ ID NO: 9, 10, 11, 12, 13 or 14.

109. Kit useful in determining expression of a cancer associated antigen, comprising a separate portion of each of (i) the nucleotide sequences defined by SEQ ID NOS: 9 and 10, (ii) the nucleotide sequences defined by SEQ ID NOS: 11 and 12, and (iii) the nucleotide sequences defined by SEQ ID NOS: 13 and 14.

<110> Chen, Yao-Tseng
Gure, Ali
Tsang, Solam
Stockert, Elisabeth
Jager, Elke
Knuth, Alexander
Old, Lloyd J.

<120> Isolated Nucleic Acid Molecules Encoding Cancer Associated Antigen, The
Antigens Per Se, And Uses Thereof

<130> LUD 5538.1 PCT

<140> PCT/US 99/05766

<141> 1998 - 04 - 17

<160> 3

<210> 1
<211> 4265
<212> DNA
<213> Homo sapiens
<220>
<400> 1

```
GTCTGAAGGA CCTGAGGCAT TTTGTGACGA GGATCGTCTC AGGTCAGCGG AGGGAGGAGA 60
CTTATAGACC TATCCAGTCT TCAAGGTGCT CCAGAAAGCA GGAGTTGAAG ACCTGGGTGT 120
GAGGGACACA TACATCCTAA AAGCACCACA GCAGAGGAGG CCCAGGCAGT GCCAGGAGTC 180
AAGGTTCCCA GAAGACAAAC CCCCTAGGAA GACAGGCGAC CTGTGAGGCC CTAGAGCACC 240
ACCTTAAGAG AAGAAGAGCT GTAAGCCGGC CTTTGTGAGA GCCATCATGG GGGACAAGGA 300
TATGCCTACT GCTGGGATGC CGAGTCTTCT CCAGAGTTCC TCTGAGAGTC CTCAGAGTTG 360
TCCTGAGGGG GAGGACTCCC AGTCTCCTCT CCAGATTCCC CAGAGTTCTC CTGAGAGCGA 420
CGACACCCTG TATCCTCTCC AGAGTCCTCA GAGTCGTTCT GAGGGGGAGG ACTCCTCGGA 480
TCCTCTCCAG AGACCTCTG AGGGGAAGGA CTCCCAGTCT CCTCTCCAGA TTCCCCAGAG 540
TTCTCCTGAG GGCGACGACA CCCAGTCTCC TCTCCAGAA TCTCAGAGTT CTCCTGAGGG 600
GAAGGACTCC CTGTCTCCTC TAGAGATTTC TCAGAGCCCT CTTGAGGGTG AGGATGTCCA 660
GTCTCCTCTG CAGAATCCTG CGAGTTCCTT CTTCTCCTCT GCTTTATTGA GTATTTTCCA 720
GAGTTCCTCT GAGAGTATTC AAAGTCCTTT TGAGGGTTTT CCCCAGTCTG TTCTCCAGAT 780
TCCTGTGAGC GCGCCTCCTT CCTCCACTTT AGTGAGTATT TTCCAGAGTT CCCCTGAGAG 840
TACTCAAAGT CTTTTTGAGG GTTTTCCCCA GTCTCCACTC CAGATTCTCT TGAGCCGCTC 900
CTTCTCCTCC ACTTTATTGA GTATTTTCCA GAGTTCCCTT GAGAGAAGTC AGAGAAGTTC 960
TGAGGGTTTT GCACAGTCTC CTCTCCAGAT TCCTGTGAGC TCCTCCTCGT CCTCCACTTT 1020
ACTGAGTCTT TTCCAGAGTT CCCCTGAGAG AACTCAGAGT ACTTTTGAGG GTTTTCCCCA 1080
GTCTCCACTC CAGATTCTCT TGAGCCGCTC CTTCTCCTCC ACTTTATTGA GTATTTTCCA 1140
GAGTTCCTCT GAGAGAAGTC AGAGTACTTT TGAGGGTTTT GCCCAGTCTC CTCTCCAGAT 1200
TCCTGTGAGC CCCTCCTTCT CCTCCACTTT AGTGAGTATT TTCCAGAGTT CCCCTGAGAG 1260
AACTCAGAGT ACTTTTGAGG GTTTTCCCCA GTCTCCTCTC CAGATTCTCT TGAGCTCCTC 1320
CTTCTCCTCC ACTTTATTGA GTCTTTTCCA GAGTTCCCTT GAGAGAAGTC AGAGTACTTT 1380
TGAGGGTTTT CCCCAGTCTC CTCTCCAGAT TCCTGGAAGC CCCTCCTTCT CCTCCACTTT 1440
ACTGAGTCTT TTCCAGAGTT CCCCTGAGAG AACTCACAGT ACTTTTGAGG GTTTTCCCCA 1500
GTCTCCTCTC CAGATTCTTA TGACCTCCTC CTTCTCCTCT ACTTTATTGA GTATTTTACA 1560
GAGTTCCTCT GAGAGTGCTC AAAGTGCTTT TGAGGGTTTT CCCCAGTCTC CTCTCCAGAT 1620
TCCTGTGAGC TCCTCTTCTT CCTACACTTT ATTGAGTCTT TTCCAGAGTT CCCCTGAGAG 1680
AACTCACAGT ACTTTTGAGG GTTTTCCCCA GTCTCCTCTC CAGATTCTCT TGAGCTCCTC 1740
CTCCTCCTCC TCCACTTTAT TGAGTCTTTT CCAGAGTTCC CCTGAGTGTA CTCAAAGTAC 1800
TTTTGAGGGT TTTCCCAGT CTCTCTCCA GATTCTCAG AGTCTCCTG AAGGGGAGAA 1860
TACCAATTCT CCTCTCCAGA TTGTCCAAG TCTTCTGAG TGGGAGGACT CCCTGTCTCC 1920
TCACTACTTT CCTCAGAGCC CTCCTCAGGG GGAGGACTCC CTATCTCCTC ACTACTTTCC 1980
TCAGAGCCCT CCTCAGGGGG AGGACTCCTT GTCTCCTCAC TACTTTCTC AGAGCCCTCA 2040
GGGGGAGGAC TCCCTGTCTC CTCACTACTT TCCTCAGAGC CCTCCTCAGG GGGAGGACTC 2100
CATGTCTCCT CTCTACTTTC CTCAGAGTCC TCTTCAGGGG GAGGAATTCC AGTCTTCTCT 2160
CCAGAGCCCT GTGAGCATCT GCTCCTCCTC CACTCCATCC AGTCTTCCCC AGAGTTTCCC 2220
TGAGAGTTCT CAGAGTCTCT CTGAGGGGCC TGTCCAGTCT CCTCTCCATA GTCCTCAGAG 2280
```

CCTCCTGAG GGGATGCACT CCCAATCTCC TCTCCAGAGT CCTGAGAGTG CTCCTGAGGG 2340
 GGAGGATTCC CTGTCTCCTC TCCAAATTCC TCAGAGTCCT CTTGAGGGAG AGGACTCCCT 2400
 GTCTTCTCTC CATTTTCCTC AGAGTCCTCC TGAGTGGGAG GACTCCCTCT CTCCTCTCCA 2460
 CTTTCTCCTC TTTCTCCTC AGGGGGAGGA CTTCCAGTCT TCTCTCCAGA GTCCTGTGAG 2520
 TATCTGCTCC TCCTCCACTT CTTTGAGTCT TCCCCAGAGT TTCCCTGAGA GTCCTCAGAG 2580
 TCCTCCTGAG GGGCCTGCTC AGTCTCCTCT CCAGAGACCT GTCAGTCCTT TCTTCTCCTA 2640
 CACTTTAGCG AGTCTTCTCC AAAGTTCCCA TGAGAGTCCT CAGAGTCCTC CTGAGGGGCC 2700
 TGCCCACTCT CCTCTCCAGA GTCTGTGAG CTCCTTCCCC TCCTCCACTT CATCGAGTCT 2760
 TTCCCAAGAGT TCTCCTGTGA GCTCCTTCCC CTCCTCCACT TCATCGAGTC TTTCCAAGAG 2820
 TTCCCTGAG AGTCTCTCC AGAGTCCTGT GATCTCCTTC TCCTCCTCCA CTTCAATTGAG 2880
 CCCATTCACT GAAGAGTCCA GCAGCCCACT AGATGAATAT ACAAGTTCCT CAGACACCTT 2940
 GCTAGAGAGT GATTCCTTGA CAGACAGCGA GTCCTTGATA GAGAGCGAGC CTTGTTCAC 3000
 TTATCACTG GATGAAAAGG TGGACGAGTT GCGCGGGTTT CTTCTCTCA AATATCAAGT 3060
 GAAGCAGCCT ATCACAAGG CAGAGATGCT GACGAATGTC ATCAGCAGGT ACACGGGCTA 3120
 CTTTCTGTG ATCTTCAGGA AAGCCCGTGA GTTCATAGAG ATACTTTTGT GCATTTCCT 3180
 GAGAGAGTG GACCTGATG ACTCCTATGT CTTTGTAAC ACATTAGACC TCACCTCTGA 3240
 GGGGTGTCTG AGTGATGAGC AGGGCATGTC CCAGAACC GC TCCTGATT TATTCTGAG 3300
 TATCATCTTC ATAAAGGGCA CCTATGCCTC TGAGGAGGTC ATCTGGGATG TGCTGAGTGG 3360
 AATAGGGGTG CGTGCTGGGA GGGAGCACTT TGCCTTTGGG GAGCCCAGGG AGCTCCTCAC 3420
 TAAAGTTTGG GTGCAGGAAC ATTACCTAGA GTACCGGGAG GTGCCCCA CTCTCCTCC 3480
 TCGTTACGAA TTCTGTGGG GTCCAAGAGC TCATTACGAA GTCATTAAGA GGAAAGTAGT 3540
 AGAGTTTTTG GCCATGCTAA AGAATACCGT CCCTATTACC TTTCCATCCT CTTACAAGGA 3600
 TGCTTTGAA GATGTGGAAG AGAGAGCCCA GGCCATAATT GACACCACAG ATGATTCCAG 3660
 TGCCACAGAA AGTGCAAGCT CCAAGTGTCT GTCCCCCAGC TTCTCTCTG AGTGAAGTCT 3720
 AGGGCAGATT CTTCCCTCTG AGTTTGAAG GGGCAGTCGA GTTTCTACGT GGTGGAGGGC 3780
 CTGGTTGAGG CTGGAGAGAA CACAGTGCTA TTTGCATTTC TGTTCCATAT GGGTAGTTAT 3840
 GGGGTTTACC TGTTTACTT TTGGGTATTT TTCAAATGCT TTTCTATTA ATAACAGGTT 3900
 TAAATAGCTT CAGAATCCTA GTTTATGCAC ATGAGTCGCA CATGTATTGC TGTTTTCTG 3960
 GTTTAAGAGT AACAGTTTGA TATTTGTAA AAACAAAAAC ACACCCAAAC ACACACATT 4020
 GGGAAAACCT TCTGCCTCAT TTTGTGATGT GTCACAGGTT AATGTGGTGT TACTGTAGGA 4080
 ATTTTCTTGA AACTGTGAAG GAACTCTGCA GTTAAATAGT GGAATAAAGT AAAGGATTGT 4140
 TAATGTTTGC ATTTCTCAG GTCTTTAGT CTGTTGTTCT TGAAAACATA AGATACATAC 4200
 CTGGTTTGT TGGCTTACGT AAGAAAGTCG AAGAAAGTAA ACTGTAATAA ATAAAGTGT 4260
 CAGTG 4265

<210> 2
 <211> 1142
 <212> PRT
 <213> Homo sapiens
 <220>
 <400> 2

Met Gly Asp Lys Asp Met Pro Thr Ala Gly Met Pro Ser Leu Leu Gln
 5 10 15
 Ser Ser Ser Glu Ser Pro Gln Ser Cys Pro Glu Gly Glu Asp Ser Gln
 20 25 30
 Ser Pro Leu Gln Ile Pro Gln Ser Ser Pro Glu Ser Asp Asp Thr Leu
 35 40 45
 Tyr Pro Leu Gln Ser Pro Gln Ser Arg Ser Glu Gly Glu Asp Ser Ser
 50 55 60
 Asp Pro Leu Gln Arg Pro Pro Glu Gly Lys Asp Ser Gln Ser Pro Leu
 65 70 75 80
 Gln Ile Pro Gln Ser Ser Pro Glu Gly Asp Asp Thr Gln Ser Pro Leu
 85 90 95
 Gln Asn Ser Gln Ser Ser Pro Glu Gly Lys Asp Ser Leu Ser Pro Leu
 100 105 110
 Glu Ile Ser Gln Ser Pro Pro Glu Gly Glu Asp Val Gln Ser Pro Leu
 115 120 125
 Gln Asn Pro Ala Ser Ser Phe Phe Ser Ser Ala Leu Leu Ser Ile Phe
 130 135 140
 Gln Ser Ser Pro Glu Ser Ile Gln Ser Pro Phe Glu Gly Phe Pro Gln
 145 150 155 160
 Ser Val Leu Gln Il Pro Val Ser Ala Ala Ser Ser Ser Thr Leu Val
 165 170 175

SUBSTITUTE SHEET (Rule 26)

Ser Ile Phe Gln Ser Ser Pro Glu Ser Thr Gln Ser Pro Phe Glu Gly
 180 185 190
 Phe Pro Gln Ser Pro Leu Gln Ile Pro Val Ser Arg Ser Phe Ser Ser
 195 200 205
 Thr Leu Leu Ser Ile Phe Gln Ser Ser Pro Glu Arg Ser Gln Arg Thr
 210 215 220
 Ser Glu Gly Phe Ala Gln Ser Pro Leu Gln Ile Pro Val Ser Ser Ser
 225 230 235 240
 Ser Ser Ser Thr Leu Leu Ser Leu Phe Gln Ser Ser Pro Glu Arg Thr
 245 250 255
 Gln Ser Thr Phe Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile Pro Val
 260 265 270
 Ser Arg Ser Phe Ser Ser Thr Leu Ser Ile Phe Gln Ser Ser Pro
 275 280 285
 Glu Arg Thr Gln Ser Thr Phe Glu Gly Phe Ala Gln Ser Pro Leu Gln
 290 295 300
 Ile Pro Val Ser Pro Ser Phe Ser Ser Thr Leu Val Ser Ile Phe Gln
 305 310 315 320
 Ser Ser Pro Glu Arg Thr Gln Ser Thr Phe Glu Gly Phe Pro Gln Ser
 325 330 335
 Pro Leu Gln Ile Pro Val Ser Ser Ser Phe Ser Ser Thr Leu Leu Ser
 340 345 350
 Leu Phe Gln Ser Ser Pro Glu Arg Thr Gln Ser Thr Phe Glu Gly Phe
 355 360 365
 Pro Gln Ser Pro Leu Gln Ile Pro Gly Ser Pro Ser Phe Ser Ser Thr
 370 375 380
 Leu Leu Ser Leu Phe Gln Ser Ser Pro Glu Arg Thr His Ser Thr Phe
 385 390 395 400
 Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile Pro Met Thr Ser Ser Phe
 405 410 415
 Ser Ser Thr Leu Leu Ser Ile Leu Gln Ser Ser Pro Glu Ser Ala Gln
 420 425 430
 Ser Ala Phe Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile Pro Val Ser
 435 440 445
 Ser Ser Phe Ser Tyr Thr Leu Leu Ser Leu Phe Gln Ser Ser Pro Glu
 450 455 460
 Arg Thr His Ser Thr Phe Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile
 465 470 475 480
 Pro Val Ser Ser Ser Ser Ser Ser Ser Thr Leu Leu Ser Leu Phe Gln
 485 490 495
 Ser Ser Pro Glu Cys Thr Gln Ser Thr Phe Glu Gly Phe Pro Gln Ser
 500 505 510
 Pro Leu Gln Ile Pro Gln Ser Pro Pro Glu Gly Glu Asn Thr His Ser
 515 520 525
 Pro Leu Gln Ile Val Pro Ser Leu Pro Glu Trp Glu Asp Ser Leu Ser
 530 535 540
 Pro His Tyr Phe Pro Gln Ser Pro Pro Gln Gly Glu Asp Ser Leu Ser
 545 550 555 560
 Pro His Tyr Phe Pro Gln Ser Pro Pro Gln Gly Glu Asp Ser Leu Ser
 565 570 575
 Pro His Tyr Phe Pro Gln Ser Pro Gln Gly Glu Asp Ser Leu Ser Pro
 580 585 590
 His Tyr Phe Pro Gln Ser Pro Pro Gln Gly Glu Asp Ser Met Ser Pro
 595 600 605
 Leu Tyr Phe Pro Gln Ser Pro Leu Gln Gly Glu Glu Phe Gln Ser Ser
 610 615 620
 Leu Gln Ser Pro Val Ser Ile Cys Ser Ser Ser Thr Pro Ser Ser Leu
 625 630 635 640
 Pro Gln Ser Phe Pro Glu Ser Ser Gln Ser Pro Pro Glu Gly Pro Val
 645 650 655
 Gln Ser Pro Leu His Ser Pro Gln Ser Pro Pro Glu Gly Met His Ser
 660 665 670
 Gln Ser Pro Leu Gln Ser Pro Glu Ser Ala Pro Glu Gly Glu Asp Ser
 675 680 685

SUBSTITUTE SHEET (Rule 26)

Leu Ser Pro Leu Gln Ile Pro Gln Ser Pro Leu Glu Gly Glu Asp Ser
 690 695 700
 Leu Ser Ser Leu His Phe Pro Gln Ser Pro Pro Glu Trp Glu Asp Ser
 705 710 715 720
 Leu Ser Pro Leu His Phe Pro Gln Phe Pro Pro Gln Gly Glu Asp Phe
 725 730 735
 Gln Ser Ser Leu Gln Ser Pro Val Ser Ile Cys Ser Ser Ser Thr Ser
 740 745 750
 Leu Ser Leu Pro Gln Ser Phe Pro Glu Ser Pro Gln Ser Pro Pro Glu
 755 760 765
 Gly Pro Ala Gln Ser Pro Leu Gln Arg Pro Val Ser Ser Phe Phe Ser
 770 775 780
 Tyr Thr Leu Ala Ser Leu Leu Gln Ser Ser His Glu Ser Pro Gln Ser
 785 790 795 800
 Pro Pro Glu Gly Pro Ala Gln Ser Pro Leu Gln Ser Pro Val Ser Ser
 805 810 815
 Phe Pro Ser Ser Thr Ser Ser Ser Leu Ser Gln Ser Ser Pro Val Ser
 820 825 830
 Ser Phe Pro Ser Ser Thr Ser Ser Ser Leu Ser Lys Ser Ser Pro Glu
 835 840 845
 Ser Pro Leu Gln Ser Pro Val Ile Ser Phe Ser Ser Thr Ser Leu
 850 855 860
 Ser Pro Phe Ser Glu Glu Ser Ser Ser Pro Val Asp Glu Tyr Thr Ser
 865 870 875 880
 Ser Ser Asp Thr Leu Leu Glu Ser Asp Ser Leu Thr Asp Ser Glu Ser
 885 890 895
 Leu Ile Glu Ser Glu Pro Leu Phe Thr Tyr Thr Leu Asp Glu Lys Val
 900 905 910
 Asp Glu Leu Ala Arg Phe Leu Leu Lys Tyr Gln Val Lys Gln Pro
 915 920 925
 Ile Thr Lys Ala Glu Met Leu Thr Asn Val Ile Ser Arg Tyr Thr Gly
 930 935 940
 Tyr Phe Pro Val Ile Phe Arg Lys Ala Arg Glu Phe Ile Glu Ile Leu
 945 950 955 960
 Phe Gly Ile Ser Leu Arg Glu Val Asp Pro Asp Asp Ser Tyr Val Phe
 965 970 975
 Val Asn Thr Leu Asp Leu Thr Ser Glu Gly Cys Leu Ser Asp Glu Gln
 980 985 990
 Gly Met Ser Gln Asn Arg Leu Leu Ile Leu Ile Leu Ser Ile Ile Phe
 995 1000 1005
 Ile Lys Gly Thr Tyr Ala Ser Glu Glu Val Ile Trp Asp Val Leu Ser
 1010 1015 1020
 Gly Ile Gly Val Arg Ala Gly Arg Glu His Phe Ala Phe Gly Glu Pro
 1025 1030 1035 1040
 Arg Glu Leu Leu Thr Lys Val Trp Val Gln Glu His Tyr Leu Glu Tyr
 1045 1050 1055
 Arg Glu Val Pro Asn Ser Ser Pro Pro Arg Tyr Glu Phe Leu Trp Gly
 1060 1065 1070
 Pro Arg Ala His Ser Glu Val Ile Lys Arg Lys Val Val Glu Phe Leu
 1075 1080 1085
 Ala Met Leu Lys Asn Thr Val Pro Ile Thr Phe Pro Ser Ser Tyr Lys
 1090 1095 1100
 Asp Ala Leu Lys Asp Val Glu Glu Arg Ala Gln Ala Ile Ile Asp Thr
 1105 1110 1115 1120
 Thr Asp Asp Ser Thr Ala Thr Glu Ser Ala Ser Ser Ser Val Met Ser
 1125 1130 1135
 Pro Ser Phe Ser Ser Glu
 1140

<210> 3
<211> 7
<212> PRT
<213> Homo sapiens
<220>
<400> 3

Pro Gln Ser Pro Leu Gln Ile
1 5

<210> 4
<211> 4159
<212> DNA
<213> Homo sapiens
<220>
<400> 4

```
GGTGGATGCG TTTGGGTTGT AGCTAGGCTT TTTCTTTTCT TTCTCTTTTA AAACACATCT 60
AGACAAGGAA AAAACAAGCC TCGGATCTGA TTTTTCATCT CTCGTCTTG TGCTTGGTTC 120
T TACTGTGTT TGTGTATTTT AAAGGCGAGA AGACGAGGGG AACAAAACCA GCTGGATCCA 180
TCCATCACCG TGGGTGGTTT TAATTTTTCG TTTTCTCTCG TTATTTTTTT TTAACAACCC 240
ACTCTTCACA ATGAACAAAC TGTATATCGG AAACCTCAGC GAGAACGCCG CCCCTCGGA 300
CCTAGAAAGT ATCTTCAAGG ACGCCAAGAT CCCGGTGTCT GGACCCTTCC TGGTGAAGAC 360
TGGCTACGCG TTCGTGGACT GCCCGGACGA GAGCTGGGCC CTCAAGGCCA TCGAGGCGCT 420
TTCAGGTAAG ATAGAACTGC ACGGGAAACC CATAGAAGTT GAGCACTCGG TCCCAAAAAG 480
GCAAAGGATT CGGAAACTTC AGATACGAAA TATCCCGCCT CATTTACAGT GGGAGGTGCT 540
GGATAGTTTA CTAGTCCAGT ATGGAGTGGT GGAGAGCTGT GAGCAAGTGA ACACTGACTC 600
GGAAACTGCA GTTGTAATG TAACCTATTC CAGTAAGGAC CAAGCTAGAC AAGCACTAGA 660
CAAACCTGAAT GGATTTTCACT TAGAGAATTT CACCTTGAAA GTAGCCTATA TCCCTGATGA 720
AATGGCCGCC CAGCAAAACC CCTTGCAGCA GCCCGGAGGT CGCCGGGGGC TTGGGCAGAG 780
GGGCTCCTCA AGGCAGGGGT CTCCAGGATC CGTATCCAAG CAGAAACCAT GTGATTTGCC 840
TCTGCGCCTG CTGGTTCCCA CCCAATTTGT TGGAGCCATC ATAGGAAAAG AAGGTGCCAC 900
CATTCGGAAC ATCACCAAAC AGACCCAGTC TAAATCGAT GTCCACCGTA AAGAAAATGC 960
GGGGGCTGCT GAGAAGTCGA TTACTATCCT CTCTACTCCT GAAGGCACCT CTGCGGCTTG 1020
TAAGTCTATT CTGGAGATTA TGCATAAGGA AGCTCAAGAT ATAAAATTCA CAGAAGAGAT 1080
CCCCTTGAAG ATTTTAGCTC ATAATAACTT TGTGGACGT CTTATTGGTA AAGAAGGAAG 1140
AAATCTTAAA AAAATTGAGC AAGACACAGA CACTAAAATC ACGATATCTC CATTCGAGGA 1200
ATTGACGCTG TATAATCCAG AACGCATAT TACAGTTAAA GGCAATGTTG AGACATGTGC 1260
CAAAGCTGAG GAGGAGATCA TGAAGAAATC CAGGGAGTCT TATGAAAATG ATATTGCTTC 1320
TATGAATCTT CAAGCACATT TAATTCCTGG ATTAATCTG AACGCCTTGG GTCTGTTCCC 1380
ACCCACTTCA GGGATGCCAC CTCCCACCTC AGGGCCCCCT TCAGCCATGA CTCTGCCCTA 1440
CCCGCAGTTT GAGCAATCAG AAACGGAGAC TGTTCATCAG TTTATCCCAG CTCTATCAGT 1500
CGGTGCCATC ATCGGCAAGC AGGGCCAGCA CATCAAGCAG CTTTCTCGCT TTGCTGGAGC 1560
TTCAATTAAG ATTGCTCCAG CGGAAGCACC AGATGCTAAA GTGAGGATGG TGATTATCAC 1620
TGGACCACCA GAGGCTCAGT TCAAGGCTCA GGAAGAAT TATGGAAAAA TTAAGAAGA 1680
AAACTTTGTT AGTCCTAAAG AAGAGGTGAA ACTTGAAGCT CATATCAGAG TGCCATCCTT 1740
TGCTGTGGC AGAGTTATTG GAAAAGGAGG CAAAACGGTG AATGAACTTC AGAATTTGTC 1800
AAGTGCAGAA GTTGTGTGCC CTCGTGACCA GACACCTGAT GAGAATGACC AAGTGGTTGT 1860
CAAATAAAT GGTCACTTCT ATGCTTGCCA GGTTGCCAG AGAAAAATTC AGGAAATTC 1920
GACTCAGGTA AAGCAGCACC AACACAGAA GGCTCTGCAA AGTGGACCAC CTCAGTCAAG 1980
ACGGAAGTAA AGGCTCAGGA AACAGCCAC CACAGAGGCA GATGCCAAAC CAAAGACAGA 2040
TTGCTTAACC AACAGATGGG CGCTGACCCC CTATCCAGAA TCACATGCAC AAGTTTTTAC 2100
CTAGCCAGTT GTTTCTGAGG ACCAGGCAAC TTTTGAATCT CTGTCTCTGT GAGAATGTAT 2160
ACTTTATGCT CTCTGAAATG TATGACACCC AGCTTTAAAA CAAACAAACA AACAAACAAA 2220
AAAAGGGTGG GGGAGGGAGG GAAAGAGAAG AGCTCTGCAC TTCCCTTTGT TGTAGTCTCA 2280
CAGTATAACA GATATTCTAA TTCTTCTTAA TATCCCCCA TAATGCCAGA AATTGGCTTA 2340
ATGATGCTTT CACTAAATTC ATCAAATAGA TTGCTCCTAA ATCCAATTGT TAAATTTGGA 2400
TCAGAATAAT TATCAGAGGA ACTTAAATGT TAAGCCATTA GCATAGAAAA ACTGTTCTCA 2460
GTTTTATTTT TACCTAACAC TAACATGAGT AACCTAAGGG AAGTGCTGAA TGGTGTGGC 2520
AGGGGTATTA AACGTGCATT TTTACTCAAC TACCTCAGGT ATTCAGTAAT ACAATGAAAA 2580
GCAAAATTGT TCCTTTTTTT TGAAATTTT ATATACTTTA TAATGATAGA AGTCCAACCG 2640
TTTTTTAAAA AATAAATTTA AAATTTAACA GCAATCAGCT AACAGGCAAA TTAAGATTTT 2700
```

SUBSTITUTE SHEET (Rule 26)

TACTTCTGGC	TGGTGACAGT	AAAGCTGGAA	AATTAATTTT	AGGGTTTTTT	GAGGCTTTTG	2760
ACACAGTTAT	TAGTTAAATC	AAATGTTCAA	AAATACGGAG	CAGTGCCTAG	TATCTGGAGA	2820
GCAGCACTAC	CATTTATTCT	TTCATTATA	GTTGGGAAAG	TTTTTGACGG	TACTAACAAA	2880
GTGGTCGAG	GAGATTTTGG	AACGGCTGGT	TTAAATGGCT	TCAGGAGACT	TCAGTTTTTT	2940
GTTTAGCTAC	ATGATTGAAT	GCATAATAAA	TGCTTTGTGC	TTCTGACTAT	CAATACCTAA	3000
AGAAAGTGCA	TCAGTGAAGA	GATGCAAGAC	TTTCAACTGA	CTGGCAAAAA	GCAAGCTTTA	3060
GCTTGTCTTA	TAGGATGCTT	AGTTTGCCAC	TACACTTCAG	ACCAATGGGA	CAGTCATAGA	3120
TGGTGTGACA	GTGTTTAAAC	GCAACAAAAG	GCTACATTTT	CATGGGGCCA	GCACTGTCAT	3180
GAGCCTCACT	AAGCTATTTT	GAAGATTTT	AAGCACTGAT	AAATTAAAAA	AAAAAAAAAA	3240
AAATTAGACT	CCACCTTAAG	TAGTAAAGTA	TAACAGGATT	TCTGTATACT	GTGCAATCAG	3300
TTCTTTGAAA	AAAAAGTCAA	AAGATAGAGA	ATACAAGAAA	AGTTTTNNGG	ATATAATTTG	3360
AATGACTGTG	AAAACATATG	ACCTTTGATA	ACGAACTCAT	TTGCTCACTC	CTTGACAGCA	3420
AAGCCCAGTA	CGTACAATTG	TGTTGGGTGT	GGGTGGTCTC	CAAGGCCACG	CTGCTCTCTG	3480
AATTGATTTT	TTGAGTTTGT	GNTTGNAAAG	TGATCACAGN	CATGTTACAC	TGATCTTNAA	3540
GGACATATNT	TATAACCCCT	TAAAAAATAA	ATCCCTGCC	TCATTCTTAT	TTGAGATGA	3600
ATTTTCGATAC	AGACTAGATG	TCTTTCTGAA	GATCAATTAG	ACATTNTGAA	AATGATTTAA	3660
AGTGTTTTTC	TTAATGTCT	CTGAAAACAA	GTTTCTTTTG	TAGTTTTAAC	CAAAAAAGTG	3720
CCCTTTTTGT	CACTGGTTTC	TCCTAGCATT	CATGATTTTT	TTTTACACAC	ATGAATTAAA	3780
ATTGCTAAAA	TCATGGACTG	GCTTTCTGGT	TGGATTTTCA	GTAAGATGTG	TTTAAGGCCA	3840
GAGCTTTTCT	CAGTATTTGA	TTTTTTTCCC	CAATATTTGA	TTTTTTAAAA	ATATACACAT	3900
AGGAGCTGCA	TTTAAACCT	GCTGGTTTAA	ATTCTGTCAN	ATTTCACTTC	TAGCCTTTTA	3960
GTAATGGCNAA	TCANAATTTA	CTTTTACTTA	AGCATTTGTA	ATTTGGAGTA	TCTGGTACTA	4020
GTAAAGAAAT	AATTCNATAA	TTGAGTTTGT	TACTCNCCAA	ANATGGGTCA	TTCTCTCATG	4080
ATAATGTNCC	CCCAATGCAG	CTTCATTTTC	CAGANACCTT	GACGCAGGAT	AAATTTTTTC	4140
ATCATTTAGG	TCCCCAAAA					4159

<210> 5
 <211> 1708
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 5

AGGGACGCTG	CCGCACCGCC	CCAGTTTACC	CCGGGGAGCC	ATCATGAAGC	TGAATGGCCA	60
CCAGTTGGAG	AACCATGCCC	TGAAGGTCTC	CTACATCCCC	GATGAGCAGA	TAGCACAGGG	120
ACCTGAGAAT	GGGCGCCGAG	GGGGCTTTGG	CTCTCGGGGT	CAGCCCCGCC	AGGGCTCACC	180
TGTGGCAGCG	GGGGCCCCAG	CCAAGCAGCA	GCAGTGGAC	ATCCCCCTTC	GGCTCCTGGT	240
GCCCACCCAG	TATGTGGGTG	CCATTATTGG	CAAGGAGGGG	GCCACCATCC	GCAACATCAC	300
AAAACAGACC	CAGTCCAAGA	TAGACGTGCA	TAGGAAGGAG	AACGCAGGTG	CAGCTGAAAA	360
AGCCATCAGT	GTGCACTCCA	CCCCTGAGGG	CTGCTCCTCC	GCTTGTAAGA	TGATCTTGGA	420
GATTATGCAT	AAAGAGGCTA	AGGACACCAA	AACGGCTGAC	GAGGTTCCCC	TGAAGATCCT	480
GGCCCATAAAT	AACTTTGTAG	GGCGTCTCAT	TGGCAAGGAA	GGACGGAACC	TGAAGAAGGT	540
AGAGCAAGAT	ACCGAGACAA	AAATCACCAT	CTCCTCGTTG	CAAGACCTTA	CCCTTTACAA	600
CCCTGAGAGG	ACCATCACTG	TGAAGGGGGC	CATCGAGAAT	TGTTGCAGGG	CCGAGCAGGA	660
AATAATGAAG	AAAGTTCGGG	AGGCCTATGA	GAATGATGTG	GCTGCCATGA	GCTCTCACCT	720
GATCCCTGGC	CTGAACCTGG	CTGCTGTAGG	TCTTTTCCCA	GCTTCATCCA	GCGCAGTCCC	780
GCCGCCTCCC	AGCAGCGTTA	CTGGGGCTGC	TCCCTATAGC	TCCTTTATGC	AGGCTCCCGA	840
GCAGGAGATG	GTGCAGGTGT	TTATCCCCGC	CCAGGCAGTG	GGCGCCATCA	TCGGCAAGAA	900
GGGGCAGCAC	ATCAAACAGC	TCTCCCGGTT	TGCCAGCGCC	TCCATCAAGA	TTGCACCACC	960
CGAAACACCT	GACTCCAAAG	TTCGTATGGT	TATCATCACT	GGACCGCCAG	AGGCCCAATT	1020
CAAGGCTCAG	GGAAGAATCT	ATGGCAAAC	CAAGGAGGAG	AACTTCTTTG	GTCCCAAGGA	1080
GGAAGTGAAG	CTGGAGACCC	ACATACGTGT	GCCAGCATCA	GCAGCTGGCC	GGGTCAATTG	1140
CAAAGGTGGA	AAAACGGTGA	ACGAGTTGCA	GAATTTGACG	GCAGCTGAGG	TGGTAGTACC	1200
AAGAGACCAG	ACCCCTGATG	AGAACGACCA	GGTCATCGTG	AAAATCATCG	GACATTTCTA	1260
TGCCAGTCAG	ATGGCTCAAC	GGAAGATCCG	AGACATCCTG	GCCCAGGTTA	AGCAGCAGCA	1320
TCAGAAGGGA	CAGAGTAACC	AGGCCCAGGC	ACGAGGAAG	TGACCAAGCC	CTCCCTGTCC	1380
CTTNGAGTCC	AGGACAACAA	CGGGCAGAAA	TCGAGAGTGT	GCTCTCCCCG	GCAGGCCTGA	1440
GAATGAGTGG	GAATCCGGGA	CACNTGGGCC	GGGCTGTAGA	TCAGGTTTGC	CCACTTGATT	1500
GAGAAAGATG	TTCCAGTGAG	GAACCTGAT	CTNTCAGCCC	CAAACACCCA	CCCAATTGGC	1560
CCAACACTGT	NTGCCCTCG	GGGTGTCAGA	AATTNTAGCG	CAAGGCACCT	TTAAACGTGG	1620
ATTGTTTTAA	GAAGCTCTCC	AGGCCCCACC	AAGAGGGTGG	ATCACACCTC	AGTGGGAAGA	1680
AAAATAAAAT	TTCCTTCAGG	TTTTAAAA				1708

SUBSTITUTE SHEET (Rule 26)

<210> 6
 <211> 3412
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 6

GGCAGCGGAG	GAGGCGAGGA	GCGCCGGGTA	CCGGGCCGGG	GGAGCCGCGG	GCTCTCGGGG	60
AAGAGACGGA	TGATGAACAA	GCTTTACATC	GGGAACCTGA	GCCCCGCGT	CACCCGCGAC	120
GACCTCCGGC	AGCTCTTGG	GGACAGGAAG	CTGCCCCTGG	CGGGACAGGT	CCTGCTGAAG	180
TCCGGCTACG	CCTTCGTGGA	CTACCCCGAC	CAGAACTGGG	CCATCCGCGC	CATCGAGACC	240
CTCTCGGGTA	AAGTGAATT	GCATGGGAAA	ATCATGGAAG	TTGATTACTC	AGTCTCTAAA	300
AAGCTAAGGA	GCAGGAAAAT	TCAGATTCTGA	AACATCCCTC	CTCACCTGCA	GTGGGAGGTG	360
TTGGATGGAC	TTTTGGCTCA	ATATGGGACA	GTGGAGAATG	TGGAACAAGT	CAACACAGAC	420
ACAGAAACCG	CCGTGTCAA	CGTCACATAT	GCAACAAGAG	AAGAAGCAAA	AATAGCCATG	480
GAGAAGCTAA	GCGGGCATCA	GTTTGAGAAC	TACTCCTTCA	AGATTTCTTA	CATCCCGGAT	540
GAAGAGGTGA	GCTCCCTTC	GCCCCCTCAG	CGAGCCGAGC	GTGGGGACCA	CTCTTCCCGG	600
GAGCAAGGCC	ACGCCCCCTGG	GGGCACTTCT	CAGGCCAGAC	AGATTGATTT	CCCCTGCGG	660
ATCCTGTGCC	CCACCCAGTT	TGTTGGTGCC	ATCATCGGAA	AGGAGGGCTT	GACCATAAAG	720
AACATCACTA	AGCAGACCCA	GTCCCGGGTA	GATATCCATA	GAAAAGAGAA	CTCTGGAGCT	780
GCAGAGAAGC	CTGTCCACAT	CCATGCCACC	CCAGAGGGGA	CTTCTGAAGC	ATGCCCGCATG	840
ATTCTTGAAA	TCATGCAGAA	AGAGGCAGAT	GAGACCAAAC	TAGCCGAAGA	GATTCTCTCTG	900
AAAATCTTGG	CACACAATGG	CTTGGTTGGA	AGACTGATTG	GAAAAGAAGG	CAGAAATTTG	960
AAGAAAATG	AACATGAAAC	AGGGACCAAG	ATAACAATCT	CATCTTTGCA	GGATTTGAGC	1020
ATATACAACC	CGGAAAGAAC	CATCACTGTG	AAGGGCACAG	TTGAGGCTTG	TGCCAGTGCT	1080
GAGATAGAGA	TTATGAAGAA	GCTGCGTGAG	GCCTTTGAAA	ATGATATGCT	GGCTGTTAAC	1140
CAACAAGCCA	ATCTGATCCC	AGGGTTGAAC	CTCAGCGCAC	TTGGCATCTT	TTCAACAGGA	1200
CTGTCCGTGC	TATCTCCACC	AGCAGGGCCC	CGCGGAGCTC	CCCCCGCTGC	CCCCTACCAC	1260
CCCTTCACTA	CCCCTCCGG	ATACTTCTCC	AGCCTGTACC	CCCATCACCA	GTTTGGCCCG	1320
TTCCCGCATC	ATCACTCTTA	TCCAGAGCAG	GAGATTGTGA	ATCTCTTCAT	CCCAACCCAG	1380
GCTGTGGGCG	CCATCATCGG	GAAGAAGGGG	GCACACATCA	AACAGCTGGC	GAGATTCCGC	1440
GGAGCCTCTA	TCAAGATTGC	CCCTGCGGAA	GGCCAGACG	TCAGCGAAAG	GATGGTCATC	1500
ATCACCGGGC	CACCGGAAGC	CCAGTTCAAG	GCCCAGGGAC	GGATCTTTGG	GAAACTGAAA	1560
GAGGAAAAC	TCTTTAACCC	CAAAGAAGAA	GTGAAGCTGG	AAGCGCATAT	CAGAGTGCCC	1620
TCTTCCACAG	CTGGCCGGGT	GATTGGCAAA	GGTGGCAAGA	CCGTGAACGA	ACTGCAGAAC	1680
TTAACCAGTG	CAGAAGTCAT	CGTGCCCTCGT	GACCAAACGC	CAGATGAAAA	TGAGGAAGTG	1740
ATCGTCAGAA	TTATCGGGCA	CTTCTTTGCT	AGCCAGACTG	CACAGCGCAA	GATCAGGGAA	1800
ATTGTACAAC	AGGTGAAGCA	GCAGGAGCAG	AAATACCCTC	AGGGAGTCGC	CTCACAGCGC	1860
AGCAAGTGAG	GCTCCACAG	GCACCAGCAA	AACAACGGAT	GAATGTAGCC	CTTCCAACAC	1920
CTGACAGAAT	GAGACCAAC	GCAGCCAGCC	AGATCGGGAG	CAAACCAAG	ACCATCTGAG	1980
GAATGAGAAG	TCTGCGGAGG	CGGCCAGGGA	CTCTGCCGAG	GCCCTGAGAA	CCCCAGGGGC	2040
CGAGGAGGGG	CGGGGAAGGT	CAGCCAGGTT	TGCCAGAACC	ACCGAGCCCC	GCCTCCCGCC	2100
CCCCAGGGCT	TCTGCAGGCT	TCAGGCATCC	ACTTCACCAT	CCACTCGGAT	CTCTCCGTAA	2160
CTCCACGAC	GCTATCCCTT	TTAGTTGAAC	TAACATAGGT	GAACGTGTTT	AAAGCCAAGC	2220
AAAATGCACA	CCCTTTTTCT	GTGGCAAATC	GTCTCTGTAC	ATGTGTGTAC	ATATTAGAAA	2280
GGGAAGATGT	TAAGATATGT	GGCCTGTGGG	TTACACAGGG	TGCCTGCAGC	GGTAATATAT	2340
TTTAGAAATA	ATATATCAAA	TAATCAACT	AATCCCAATT	TTTAATCAAT	TATTAATTTT	2400
TTTTTCTTTT	TAAAGAGAAA	GCAGGCTTTT	CTAGACTTTA	AAGAATAAAG	TCTTTGGGAG	2460
GTCTCACGGT	GTAGAGAGGA	GCTTTGAGGC	CACCCGCACA	AAATTCACCC	AGAGGGAAT	2520
CTCGTCGGAA	GGACACTCAC	GGCAGTTCTG	GATCACCTGT	GTATGTCAAC	AGAAGGGATA	2580
CCGTCTCCTT	GAAGAGGAAA	CTCTGTCACT	CCTCATGCCT	GTCTAGCTCA	TACACCCATT	2640
TCTCTTTGCT	TCACAGGTTT	TAAACTGGTT	TTTTGCATAC	TGCTATATAA	TTCTCTGTCT	2700
CTCTCTGTTT	ATCTCTCCCC	TCCCTCCCCCT	CCCCTTCTTC	TCCATCTCCA	TTCTTTTGAA	2760
TTTCTCATC	CCTCCATCTC	AATCCCGTAT	CTACGCACCC	CCCCCCCCC	AGGCAAGCA	2820
GTGCTCTGAG	TATCACATCA	CACAAAAGGA	ACAAAAGCGA	AACACACAAA	CCAGCCTCAA	2880
CTTACACTTG	GTTACTCAAA	AGAACAAGAG	TCAATGGTAC	TTGTCCTAGC	GTTTTGGAAG	2940
AGGAAAACAG	GAACCCACCA	AACCAACCAA	TCAACCAAAC	AAAGAAAAAA	TCCACAATG	3000
AAAGAATGTA	TTTTGTCTTT	TTGCATTTTG	GTGTATAAGC	CATCAATATT	CAGCAAAATG	3060
ATTCTTTTCT	TTAAAAAAA	AAATGTGGAG	GAAAGTAGAA	ATTACCAAG	GTGTTGGCC	3120
CAGGGCGTTA	AATTACACAG	TTTTTTTAAC	GAGAAAAACA	CACAGAAGAA	GCTACCTCAG	3180
GTGTTTTTAC	CTCAGCACCT	TGCTCTGTG	TTTCCCTTAG	AGATTTTGTA	AAGCTGATAG	3240
TTGGAGCATT	TTTTTATTTT	TTTAATAAAA	ATGAGTTGGA	AAAAAATAA	GATATCAACT	3300
GCCAGCCTGG	AGAAGGTGAC	AGTCCAAGTG	TGCAACAGCT	GTTCTGAATT	GTCTTCCGCT	3360
AGCCAAGAAC	CNATATGGCC	TTCTTTTGA	CAAACCTTGA	AAATGTTTAT	TT	3412

SUBSTITUTE SHEET (Rule 26)

<210> 7
 <211> 1946
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 7

```
GCTGTAGCGG AGGGGCTGGG GGGCTGCTCT GTCCCTTCC TTGCGCGCTG CGGCCTCAGC 60
CCACCCAGAG GCCGGGGTGG GAGGGCGAGT GCTCAGCTTC CCGGGTTAGG AGCCGGAAAA 120
TTCAAAATCCG AAATATTCCA CCCAGCTCC GATGGGAAGT ACTGGACAGC CTGCTGGCTC 180
AGTATGGTAC AGTAGAGAAC TGTGAGCAAG TGAACACCGA GAGTGAGACG GCAGTGGTGA 240
ATGTCACCTA TTCCAACCGG GAGCAGACCA GGCAAGCCAT CATGAAGCTG AATGGCCACC 300
AGTTGGAGAA CCATGCCCTG AAGGTCTCCT ACATCCCCGA TGAGCAGATA GCACAGGGAC 360
CTGAGAATGG GCGCCGAGGG GGCTTTGGCT CTCGGGGTCA GCGCCGCCAG GGCTCACCTG 420
TGGCAGCGGG GGCCCCAGCC AAGCAGCAGC AAGTGGACAT CCCCCTTCGG CTCCTGGTGC 480
CCACCCAGTA TGTGGGTGCC ATTATTGGCA AGGAGGGGGC CACCATCCGC AACATCACAA 540
AACAGACCCA GTCCAAGATA GACGTGCATA GGAAGGAGAA CGCAGGTGCA GCTGAAAAAG 600
CCATCAGTGT GCACTCCACC CCTGAGGGCT GCTCCTCCGC TTGTAAGATG ATCTTGGAGA 660
TTATGCATAA AGAGGCTAAG GACACCAAAA CGGCTGACGA GGTTCCTCGT AAGATCCTGG 720
CCATAATAA CTTTGTAGGG CGTCTCATTG GCAAGGAAGG ACGGAACCTG AAGAAGGTAG 780
AGCAAGATAC CGAGACAAAA ATCACCATCT CCTCGTTGCA AGACCTTACC CTTTACAACC 840
CTGAGAGGAC CATCACTGTG AAGGGGGCCA TCGAGAATTG TTGCAGGGCC GAGCAGGAAA 900
TAATGAAGAA AGTTCGGGAG GCCTATGAGA ATGATGTGGC TGCCATGAGC TCTCACCTGA 960
TCCCTGGCCT GAACCTGGCT GCTGTAGGTC TTTTCCAGC TTCATCCAGC GCAGTCCCGC 1020
CGCTCCCAG CAGCGTTACT GGGGCTGCTC CCTATAGCTC CTTTATGCAG GCTCCCGAGC 1080
AGGAGATGGT GCAGGTGTTT ATCCCCGCC AGGCAGTGGG CGCCATCATC GGCAAGAAGG 1140
GGCAGCACAT CAAACAGCTC TCCCGGTTG CCAGCGCCTC CATCAAGATT GCACCACCCG 1200
AAACACCTGA CTCCAAAGTT CGTATGGTTA TCATCACTGG ACCGCCAGAG GCCCAATTCA 1260
AGGCTCAGGG AAGAATCTAT GGCAAACTCA AGGAGGAGAA CTTCTTTGGT CCCAAGGAGG 1320
AAGTGAAGCT GGAGACCCAC ATACGTGTGC CAGCATCAGC AGCTGGCCGG GTCATTGGCA 1380
AAGGTGGAAG AACGGTGAAC GAGTTGCAGA ATTTGACGGC AGCTGAGGTG GTAGTACCAA 1440
GAGACCAGAC CCCTGATGAG AACGACCAGG TCATCGTGAA AATCATCGGA CATTCTATG 1500
CCAGTCAGAT GGCTCAACGG AAGATCCGAG ACATCCTGGC CCAGGTTAAG CAGCAGCATC 1560
AGAAGGGACA GAGTAACCA GCGGAGGAC GGAGGAAGTG ACCAGCCCCT CCCTGTCCCT 1620
TNGAGTCCAG GACAACAACG GGCAGAAATC GAGAGTGTGC TCTCCCCGGC AGGCCTGAGA 1680
ATGAGTGGGA ATCCGGGACA CNTGGGCCGG GCTGTAGATC AGGTTTGCCC ACTTGATTGA 1740
GAAAGATGTT CCAGTGAGGA ACCCTGATCT NTCAGCCCCA AACACCCACC CAATTGGCCC 1800
AACACTGTNT GCCCCTCGGG GTGTCAGAAA TTNTAGCGCA AGGCACTTTT AAACGTGGAT 1860
TGTTTAAAGA AGCTCTCCAG GCCCCACCA GAGGTGGAT CACACCTCAG TGGGAAGAAA 1920
AATAAAATTT CCTTCAGGTT TAAAAA 1946
```

<210> 8
 <211> 3283
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 8

```
GGCAGCGGAG GAGGCGAGGA GCGCCGGGTA CCGGGCCGGG GGAGCCGCGG GCTCTCGGGG 60
AAGAGACGGA TGATGAACAA GCTTTACATC GGGAACTGA GCGCCGCCGT CACCGCCGAC 120
GACCTCCGGC AGCTCTTTGG GGACAGGAAG CTGCCCTGG CCGGACAGGT CCTGCTGAAG 180
TCCGGCTACG CCTTCGTGGA CTACCCCGAC CAGAACTGGG CCATCCGCGC CATCGAGACC 240
CTCTCGGGTA AAGTGAATT GCATGGGAAA ATCATGGAAG TTGATTACTC AGTCTCTAAA 300
AAGCTAAGGA GCAGGAAAAT TCAGATTGCA AACATCCCTC CTCACCTGCA GTGGGAGGTG 360
TTGGATGGAC TTTTGGCTCA ATATGGGACA GTGGAGAATG TGAACAAGT CAACACAGAC 420
ACAGAAACCG CCGTTGTCAA CGTCACATAT GCAACAAGAG AAGAAGCAAA AATAGCCATG 480
GAGAAGCTAA GCGGGCATCA GTTTGAGAAC TACTCCTTCA AGATTTCTTA CATCCCGGAT 540
GAAGAGGTGA GCTCCCCTTC GCCCCCTCAG CGAGCCCAGC GTGGGGACCA CTCTTCCCGG 600
GAGCAAGGCC ACGCCCCTGG GGGCACTTCT CAGGCCAGAC AGATTGATTT CCCGCTGCGG 660
ATCCTGGTCC CCACCCAGTT TGTGGTGCC ATCATCGGAA AGGAGGGCTT GACCATAAAG 720
AACATCACTA AGCAGACCCA GTCCCGGTA GATATCCATA GAAAAGAGAA CTCTGGAGCT 780
GCAGAGAAGC CTGTACCAT CCATGCCACC CCAGAGGGGA CTTCTGAAGC ATGCCGCATG 840
ATTCTTGAAG TCATGCAGAA AGAGGCAGAT GAGACCAAAC TAGCCGAAGA GATTCTCTG 900
AAAATCTTGG CACACAATGG CTTGGTTGGA AGACTGATTG GAAAAGAAGG CAGAAATTTG 960
```

SUBSTITUTE SHEET (Rule 26)

AAGAAAATTG	AACATGAAAC	AGGGACCAAG	ATAACAATCT	CATCTTTGCA	GGATTTGAGC	1020
ATATACAACC	CGGAAAGAAC	CATCACTGTG	AAGGGCACAG	TTGAGGCCTG	TGCCAGTGCT	1080
GAGATAGAGA	TTATGAAGAA	GCTGCGTGAG	GCCTTTGAAA	ATGATATGCT	GGCTGTAAAC	1140
ACCCACTCCG	GATACTTCTC	CAGCCTGTAC	CCCCATCACC	AGTTTGGCCC	GTTCCCGCAT	1200
CATCACTCTT	ATCCAGAGCA	GGAGATTGTG	AATCTCTTCA	TCCCAACCCA	GGCTGTGGGC	1260
GCCATCATCG	GGAAGAAGGG	GGCACACATC	AAACAGCTGG	CGAGATTTCG	CGGAGCCTCT	1320
ATCAAGATTG	CCCCTGCGGA	AGGCCAGAC	GTCAGCGAAA	GGATGGTCAT	CATCACCAGG	1380
CCACCGGAAG	CCCAGTTCAA	GGCCCAGGGA	CGGATCTTTG	GGAACTGAA	AGAGGAAAAC	1440
TTCTTTAACC	CCAAAGAAGA	AGTGAAGCTG	GAAGCGCATA	TCAGAGTGCC	CTCTTCCACA	1500
GCTGGCCGGG	TGATTGGCAA	AGGTGGCAAG	ACCGTGAACG	AACTGCAGAA	CTTAACCAGT	1560
GCAGAAGTCA	TCGTGCCTCG	TGACCAAACG	CCAGATGAAA	ATGAGGAAGT	GATCGTCAGA	1620
ATTATCGGGC	ACTTCTTTGC	TAGCCAGACT	GCACAGCGCA	AGATCAGGGA	AATTGTACAA	1680
CAGGTGAAGC	AGCAGGAGCA	GAAATACCTT	CAGGGAGTCG	CCTCACAGCG	CAGCAAGTGA	1740
GGCTCCCACA	GGCACCAGCA	AAACAACGGA	CAATGTAGC	CCTTCCAACA	CCTGACAGAA	1800
TGAGACCAAA	CGCAGCCAGC	AGATCGGGA	GCAAACCAAA	GACCATCTGA	GGAATGAGAA	1860
GTCTGCGGAG	GCGGCCAGGG	ACTCTGCCGA	GGCCCTGAGA	ACCCAGGGG	CCGAGGAGGG	1920
GCGGGGAAGG	TCAGCCAGGT	TTGCCAGAAC	CACCGAGCCC	CGCCTCCCGC	CCCCAGGGC	1980
TTCTGCAGGC	TTCAGCCATC	CACTTCACCA	TCCACTCGGA	TCTCTCCTGA	ACTCCCACGA	2040
CGCTATCCCT	TTTAGTTGAA	CTAACATAGG	TGAACGTGTT	CAAAGCCAAG	CAAATGCAC	2100
ACCCTTTTTT	TGTGGCAAA	CGTCTCTGTA	CATGTGTGTA	CATATTAGAA	AGGGAGATG	2160
TTAAGATATG	TGGCCTGTGG	GTTACACAGG	GTGCCTGCAG	CGGTAATATA	TTTGTAGAAAT	2220
AATATATCAA	ATAACTCAAC	TAACCTCAAT	TTTTAATCAA	TTATTAATTT	TTTTTCTTTT	2280
TTAAAGAGAA	AGCAGGCTTT	TCTAGACTTT	AAAGAATAAA	GTCTTTGGGA	GGTCTCACGG	2340
TGTAGAGAGG	AGCTTTGAGG	CCACCCGCAC	AAAATTCACC	CAGAGGGAAA	TCTCGTCGGA	2400
AGGACACTCA	CGGCAGTTCT	GGATCACCTG	TGTATGTCAA	CAGAAGGGAT	ACCGTCTCCT	2460
TGAAGAGGAA	ACTCTGTCAC	TCCTCATGCC	TGTCTAGCTC	ATACACCCAT	TTCTCTTTGC	2520
TTCACAGGTT	TTAACTGGT	TTTTTGCATA	CTGCTATATA	ATTCTCTGTC	TCTCTCTGTT	2580
TATCTCTCCC	CTCCCTCCCC	TCCCCTTCTT	CTCCATCTCC	ATTCTTTTGA	ATTTCCTCAT	2640
CCCTCCATCT	CAATCCCGTA	TCTACGCACC	CCCCCCCCCC	CAGGCAAAGC	AGTGTCTCTGA	2700
GTATCACATC	ACACAAAAGG	AACAAAAGCG	AAACACACAA	ACCAGCCTCA	ACTTACACTT	2760
GGTTACTCAA	AAGAACAAGA	GTCATGGTA	CTTGTCTTAG	CGTTTTGGAA	GAGGAAAACA	2820
GGAAACCCACC	AAACCAACCA	ATCAACCAAA	CAAAGAAAAA	ATTCCACAAT	GAAAGAATGT	2880
ATTTTGTCTT	TTTGCAATTT	GGTGTATAAG	CCATCAATAT	TCAGCAAAAT	GATTCCTTTC	2940
TTTAAAAAAA	AAAATGTGGA	GGAAAGTAGA	AATTTACCAA	GGTTGTGGC	CCAGGGCGTT	3000
AAATTACAG	ATTTTTTTAA	CGAGAAAAAC	ACACAGAAGA	AGCTACCTCA	GGTGTTTTTA	3060
CCTCAGCACC	TTGCTCTTGT	GTTTCCCTTA	GAGATTTTGT	AAAGCTGATA	GTTGGAGCAT	3120
TTTTTTATTT	TTTAAATAAA	AATGAGTTGG	AAAAAAAATA	AGATATCAAC	TGCCAGCCTG	3180
GAGAAGGTGA	CAGTCCAAGT	GTGCAACAGC	TGTTCTGAAT	TGTCTCCGC	TAGCCAAGAA	3240
CCNATATGGC	CTTCTTTTGG	ACAAACCTTG	AAAATGTTTA	TTT		3283

SUBSTITUTE SHEET (Rule 26)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US99/05766

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : G01N 33/574, 33/48; C12Q 1/68

US CL : 435/7.23, 6; 436/64

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/7.23, 6; 436/64

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, DIALOG

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	TURECI, O. et al. Expression of SSX Genes in Human Tumors International Journal of Cancer. 1998, Vol. 77, No. 1, pages 19-23, especially page 19.	41-52
A	GURE, A.O. et al. SSX: A Multigene Family with Several Members Transcribed in Normal Testis and Human Cancer. International Journal of Cancer. 1997, Vol. 72, No. 6, pages 965-971, especially page 965.	41-52
A	CHEN, et al. A Testicular Antigen Aberrantly Ex[pressed in Human Cancers Detected by Autologous Antibody Screening. Proceedings of the National Academy of Science. March 1997, Vol. 94, No. 5, pages 1914-1918, especially page 1914.	41-52

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

21 JULY 1999

Date of mailing of the international search report

11 AUG 1999

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

YVONNE EYLER

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/05766

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,Y	CHEN, et al. Identification of Multiple Cancer/Testis Antigens by Allogeneic Antibody Screening of a Melanoma Cell Line Library" Proceedings of the National Academy of Science. June 1998, Vol. 95, No. 12, pages 6919-6923, especially page 6919.	41-52
P,Y	UGUR, S. et al. Expression of Multiple Cancer/Testis (CT) Antigens in Breast Cancer and Melanoma: Basis for Polyvalent CT Vaccine Strategies. International Journal of Cancer. 1998, Vol. 78, No. 3, pages 387-389, especially page 387.	41-52

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*

<110> Chen, Yao-Tseng
 Cure, Ali
 Tsang, Salam
 Stockert, Elisabeth
 Jager, Elke
 Knuth, Alexander
 Old, Lloyd J.

<120> Isolated Nucleic Acid Molecules Encoding Cancer Associated Antigen, The
 Antigens Per Se, And Uses Thereof

<130> LUN 5538.1 PCT

<140> PCT/US 99/05766

<141> 1998 - 04 - 17

<160> 3

<210> 1
 <211> 4265
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 1

```

GTCTGAGGGA CCTGAGGCAT TTTCTGACCA GGATCGTCTC AGGTCAGCGG AGGGAGGAGA 60
CTTATAGACC TATCCAGTCT TCAACGTGCT CCAGAAAGCA GGAGTTGAAG ACCTGGGTGT 120
GAGGGACACA TACATCTTAA AAGCACCACA GCAGAGGAGG CCCAGGCAAT GCCAGGAGTC 180
AAGGTTCCCA GAGACAAAC CCCCTAGGAA GACAGGCGAC CTCTGAGGCC CTAGAGCACC 240
ACCTTAAGAG AAGAAGAGCT GTAAGCCGGC CTTTGTGAGA GCCATCATGG GGGACAAGGA 300
TATGCCCTACT CCTCGGATGC CAGGCTCTCT CCAGAGTTCC TCTGAGAGTC CTCAGAGTTG 360
TCCTGAGGGG GAGGACTCCC AGTCTCCTCT CCAGATTCCC CAGAGTTCTC CTGAGAGGGA 420
CBACACCTCG TATCCTCTCC AGAGTCTTCA GAGTCGTTCT GAGGGGGAGC ACTCCTCGGA 480
TCCTCTCCAG AGACCTCTCC AGGGGAAGGA CTCCCACTCT CCTCTCCAGA TTCCTCAGAG 540
TTCTCTGAGG GAGGACGACA CCCAGTCTCC TCTCCAGAAT TCTCAGAGTT CTCCTGAGGG 600
GAGGACTTTC CTGTCTCTCC TAGAGATTTC TCAGAGCCCT CTGAGGCTG ACGATGTCCA 660
GTCTCCTCTG CAGAACTCTG CGAGTCTCTT CTTCTCTCTT GCTTTATTGA GTATTTTCCA 720
GAGTCTCCCT GAGAGTATTC AAGTCTCTTT TGAGGGTTTT CCCCAGTCTG TTCTCCAGAT 780
TCTCTCTGAG CCGGCTCTCT CCTCCACTTT AGTGAGTATT TCCAGAGTT CCCCTCAGAG 840
TACTCAAGAT CTTTCTGAGG GTTTTCCCCA GTCTCCACTC CAGATTCTCG TGAGCCCTCT 900
CTTCTCTCTC ACTTTATTGA GTATTTTCCA GAGTCTCCCT GAGAGAAGTC AGAGAAGTTC 960
TGAGGGTTTT CCACAGTCTC CTCTCCAGAT TCTGTGAGG TCTCTCTCTG TCTCCACTTT 1020
ACTGAGTCTT TTCCAGAGTT CCCCAGAGAG AACTCAGAGT ACTTTTGAGG GTTTTCCCCA 1080
GTCTCCACTC CAGATTCTCT TGAGCCCTCT CTTCTCTCTC ACTTTATTGA GTATTTTCCA 1140
GAGTCTCCCT GAGAGAAGTC AGAGTACTTT TGAGGGTTTT CCCCAGTCTC CTCTCCAGAT 1200
TCCTGTGAGC CCTCTCTCTC CTCTCACTTT ACTGAGTATT TTCCAGAGTT CCCCTGAGAG 1260
AACTCAGAGT ACTTTTCAAG GTTTTCCCCA GTCTCTCTCT CAGATTCTCT TGAGCTCTCT 1320
CTTCTCTCTC ACTTTATTGA GTTTTCCA GAGTCTCTCT GAGAGAAGTC AAGTACTTTT 1380
TGAGGGTTTT CCCCAGTCTC CTCTCCAGAT TCTGTGAGG CTTCTCTCTC CTTCTCTCTC 1440
ACTGAGTCTT TTCCAGAGTT CCCCTGAGAG AACTCAGAGT ACTTTTGAGG GTTTTCCCCA 1500
GTCTCTCTCT CAGATTCTCT TGAGCTCTCT CTTCTCTCTC ACTTTATTGA GTATTTTCCA 1560
GAGTCTCTCT GAGAGTCTCT AAGTCTCTTT TGAGGGTTTT CCCCAGTCTC CTCTCCAGAT 1620
TCTCTCTGAG TCTCTTTCTT CTTACTCTTT ATTGAGTCTT TTCCAGAGTT CCCCTGAGAG 1680
AACTCAGAGT ACTTTTGAGG GTTTTCCCCA GTCTCTCTCT CAGATTCTCT TGAGCTCTCT 1740
CTCTCTCTCT TCTCTTTTAT TGAGTCTTTT CCAGAGTCTC CTTGAGTCTA CTCAGAGTAC 1800
TTTTGAGGGT TTTCCCCAGT CTCTCTCTCA GATCTCTCAG ACTCTCTCTG AAGGGGAGGA 1860
TACCACTTTT CTTCTCCAGA TTGTTCCAGG TCTCTCTCTG TGGGAGGACT CTTCTCTCTC 1920
TCACTACTTT CTTCAGAGCC CTCTCAGGG GAGGAGTCTC CTATCTCTCT ACTACTTTCT 1980
TGAGAGCCCT CTTCAAGGGG AGGACTCTCT CTCTCTCTCT TACTTCTCTC AGAGCCCTCA 2040
GAGGAGGAGG TCCCTGTCTC CTCACTACTT TCTCTCAGAG CTTCTCTCAG GAGGAGTCTC 2100
CATGTCTCTC CTCTACTTTC CTCAGAGTCC TCTTCAGGGG GAGGAATTCT AGTCTCTCTC 2160
CCAGAGCCCT GTGAGCATCT GCTCTCTCTC CACTCTCATC AGTCTTCTCC AGAGTTTCTC 2220
TGAGAGTTCT CAGAGTCTCT CTCAGGGGGC TGTCAGTCTC CTTCTCCATA CTCCTCAGAG 2280

```

CCTCTCTGAG GGGATGCACT CCCAATCTCC TCTCCAGAGT CCGAGAGAGT GTCCTGAGGG 2340
 GGAGGATTCC CTGTCTCTTC TCCAAATGCC TCAGAGTCCCT CTTGAGGGAG AGGACTCCCT 2400
 CTCTTCTCTC CATTTCCTTC AGAGTCCCTC TGAGTGGGAG GACTCCCTCT GTCCTCTCCA 2460
 CTTTCTCTCAG TTTCTCTCTC AGGGGGAGGA CTTCAGTCTT TCTTCTCAGA GTCTCTGTAG 2520
 TATCTGCTCC TCTCTCACTT CTTTGAGTCT TCCCCAGAGT TTTCTTGAGA GTCTCTCAGAG 2580
 TCTCTCTGAG GGGCTCTCTC AGTCTCTCTT CCAGAGACCT GTCACTCTCT TCTTCTCTCA 2640
 CACTTTAGCG AGTCTCTCTC AAAGTTUCCA TGAGAGTCCCT CAGAGTCTCT CTAGGGGGCC 2700
 TGCCCACTCT CTTCTCTCAGA GTCTCTCTAG CTCTCTCTCC TCTCTCACTT CATCTAGTCT 2760
 TTCCCAAGAGT TCTCTCTCTC CTTCTCTCTC CTCTCTCACT TCATCTGAGT TTTCTCAAGAG 2820
 TTCTCTCTGAG AGTCTCTCTC AGAGTCTCTT GATCTCTCTT TCTCTCTCTCA CTTCTATTGAG 2880
 CCTATTCTCT GATGAGTCTCA GCAGCTCTCT AGATCAATAT ACAAGTCTCT CAGACACTCT 2940
 GCTAGAGAGT GATCTCTCTC CAGACAGGCA GTCTCTCTCA GAGAGGAGG CTTTGTCTAC 3000
 TTATCACTCT GATGAGAGG TGGAGGAGT GGGGAGGTTT CTTCTCTCTCA AATATCTAGT 3060
 GAGCAGGCTT ATCAGAGAGG CAGAGAGTCT GACGAGTCTC ATCAGAGAGT ACACGGGCTA 3120
 CTTCTCTCTC ATCTCTCAGG AAGCTCTCTC GTTCTATAGAG ATACTTTTTC GCATTTCTCT 3180
 GAGAGAGTCT GAGCTCTCTC ACTCTCTCTT CTTTGTAAAC ACATTAGAGC TCACCTCTCT 3240
 GGGGCTCTCT AGTCTCTCTC AGGGCTCTCT CCAGAGCTCT CTCTCTCTCT TTTCTCTCTG 3300
 TATCATCTCT ATAAAGGGCA CCTATCTCTC TGAGGAGGTC ATCTCTCTCT TCTCTCTCTG 3360
 AATAGGGGCT CTTCTCTCTC GGGAGGCTCT TGCTTTTGGG GAGCTCTCTC AGCTCTCTCT 3420
 TAAAGTTTGG CTGCAAGGAC ATTCTCTCTC GTACCTCTCT GTCTCTCTCT CTTCTCTCTC 3480
 TCTCTCTCTC TTTCTCTCTC GTCTCTCTCT TCATCTCTCT GTCATTAAGA GGAAGTCTCT 3540
 AGAGTTTCTG GCTCTCTCTC AGAATCTCTC CCTATTCTCT TTTCTCTCTC CTTCTCTCTC 3600
 TCTCTCTCTC GATCTCTCTC AGAGAGCTCT GGGCTCTCTC GACCTCTCTC ATGATCTCTC 3660
 TCTCTCTCTC AGTCTCTCTC CAGCTCTCTC GTCTCTCTCT TTTCTCTCTC AGTCTCTCTC 3720
 AGCTCTCTCT CTTCTCTCTC AGTCTCTCTC GGGCTCTCTC CTTCTCTCTC GTCTCTCTCT 3780
 CTCTCTCTCT CTGAGAGAGG CAGCTCTCTC TTTCTCTCTC TCTCTCTCTC GGGTCTCTCT 3840
 GGGCTCTCTC TCTCTCTCTC TCTCTCTCTC TTTCTCTCTC TTTCTCTCTC ATCTCTCTCT 3900
 TAAATAGCTT CAGCTCTCTC GTTCTCTCTC ATGAGTCTCT CATCTCTCTC TCTCTCTCTC 3960
 GTTAAAGCTT AACCTCTCTC TATTTCTCTC AAAGAGAGG ACCTCTCTCT ACCTCTCTCT 4020
 GGGAGAGCTT TCTCTCTCTC TTTCTCTCTC GTCTCTCTCT AATCTCTCTC TACTCTCTCT 4080
 ATTTCTCTCT AACTCTCTCT GAACTCTCTC GTTAAATAGT GGAATAGAGT AAAGGATCTT 4140
 TATCTCTCTC ATTTCTCTCT GTCTCTCTCT CTCTCTCTCT TGAAAGCTCT AGATCTCTCT 4200
 CTCTCTCTCT TGGCTCTCTC AAGAGAGTCT AAGAGAGTCT ACTCTCTCTC ATAAAGCTCT 4260
 CAGTCT

<210> 2
 <211> 1142
 <212> PRT
 <213> Homo sapiens
 <220>
 <400> 2

Met Gly Asp Lys Asp Met Pro Thr Ala Gly Met Pro Ser Leu Leu Gln
 5 10 15
 Ser Ser Ser Glu Ser Pro Gln Ser Cys Pro Glu Gly Glu Asp Ser Gln
 20 25 30
 Ser Pro Leu Gln Ile Pro Gln Ser Ser Pro Glu Ser Asp Thr Leu
 35 40 45
 Tyr Pro Leu Gln Ser Pro Gln Ser Arg Ser Glu Gly Glu Asp Ser Ser
 50 55 60
 Asp Pro Leu Gln Arg Pro Pro Glu Gly Lys Asp Ser Gln Ser Pro Leu
 65 70 75 80
 Gln Ile Pro Gln Ser Ser Pro Glu Gly Asp Asp Thr Gln Ser Pro Leu
 85 90 95
 Gln Asn Ser Gln Ser Ser Pro Glu Gly Lys Asp Ser Leu Ser Pro Leu
 100 105 110
 Glu Ile Ser Gln Ser Pro Pro Glu Gly Glu Asp Val Gln Ser Pro Leu
 115 120 125
 Gln Asn Pro Ala Ser Ser Phe Ph Ser Ser Ala Leu Leu Ser Ile Phe
 130 135 140
 Gln Ser Ser Pro Glu Ser Ile Gln Ser Pro Phe Glu Gly Phe Pro Gln
 145 150 155 160
 Ser Val Leu Gln Ile Pro Val Ser Ala Ala Ser Ser Ser Thr Leu Val
 165 170 175

SUBSTITUTE SHEET (Rule 26)

Ser Ile Phe Gln Ser Ser Pro Glu Ser Thr Gln Ser Pro Phe Gln Gly
 180 185 190
 Phe Pro Gln Ser Pro Leu Gln Ile Pro Val Ser Arg Ser Phe Ser Ser
 195 200 205
 Thr Leu Leu Ser Ile Phe Gln Ser Ser Pro Gln Arg Ser Gln Arg Thr
 210 215 220
 Ser Glu Gly Phe Ala Gln Ser Pro Leu Gln Ile Pro Val Ser Ser Ser
 225 230 235 240
 Ser Ser Ser Thr Leu Leu Ser Leu Phe Gln Ser Ser Pro Glu Arg Thr
 245 250 255
 Gln Ser Thr Phe Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile Pro Val
 260 265 270
 Ser Arg Ser Phe Ser Ser Thr Leu Leu Ser Ile Phe Gln Ser Ser Pro
 275 280 285
 Glu Arg Thr Gln Ser Thr Phe Glu Gly Phe Ala Gln Ser Pro Leu Gln
 290 295 300
 Ile Pro Val Ser Pro Ser Phe Ser Ser Thr Leu Val Ser Ile Phe Gln
 305 310 315 320
 Ser Ser Pro Glu Arg Thr Gln Ser Thr Phe Glu Gly Phe Pro Gln Ser
 325 330 335
 Pro Leu Gln Ile Pro Val Ser Ser Ser Phe Ser Ser Thr Leu Leu Ser
 340 345 350
 Leu Phe Gln Ser Ser Pro Glu Arg Thr Gln Ser Thr Phe Glu Gly Phe
 355 360 365
 Pro Gln Ser Pro Leu Gln Ile Pro Gly Ser Pro Ser Phe Ser Ser Thr
 370 375 380
 Leu Leu Ser Leu Phe Gln Ser Ser Pro Glu Arg Thr His Ser Thr Phe
 385 390 395 400
 Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile Pro Met Thr Ser Ser Phe
 405 410 415
 Ser Ser Thr Leu Leu Ser Ile Leu Gln Ser Ser Pro Glu Ser Ala Gln
 420 425 430
 Ser Ala Phe Glu Gly Phe Pro Gln Ser Pro Leu Glu Ile Pro Val Ser
 435 440 445
 Ser Ser Phe Ser Tyr Thr Leu Leu Ser Leu Phe Gln Ser Ser Pro Glu
 450 455 460
 Arg Thr His Ser Thr Phe Glu Gly Phe Pro Gln Ser Pro Leu Gln Ile
 465 470 475 480
 Pro Val Ser Ser Ser Ser Ser Ser Ser Thr Leu Leu Ser Leu Phe Gln
 485 490 495
 Ser Ser Pro Glu Cys Thr Gln Ser Thr Phe Glu Gly Phe Pro Gln Ser
 500 505 510
 Pro Leu Gln Ile Pro Gln Ser Pro Pro Glu Gly Glu Asn Thr His Ser
 515 520 525
 Pro Leu Gln Ile Val Pro Ser Leu Pro Glu Trp Glu Asp Ser Leu Ser
 530 535 540
 Pro His Tyr Phe Pro Gln Ser Pro Pro Gln Gly Glu Asp Ser Leu Ser
 545 550 555 560
 Pro His Tyr Phe Pro Gln Ser Pro Pro Gln Gly Glu Asp Ser Leu Ser
 565 570 575
 Pro His Tyr Phe Pro Gln Ser Pro Gln Gly Glu Asp Ser Leu Ser Pro
 580 585 590
 His Tyr Phe Pro Gln Ser Pro Pro Gln Gly Glu Asp Ser Met Ser Pro
 595 600 605
 Leu Tyr Phe Pro Gln Ser Pro Leu Gln Gly Glu Glu Phe Gln Ser Ser
 610 615 620
 Leu Gln Ser Pro Val Ser Ile Cys Ser Ser Ser Thr Pro Ser Ser Leu
 625 630 635 640
 Pro Gln Ser Phe Pro Glu Ser Ser Gln Ser Pro Pro Glu Gly Pro Val
 645 650 655
 Gln Ser Pro Leu His Ser Pro Gln Ser Pro Pro Glu Gly Met His Ser
 660 665 670
 Gln Ser Pro Leu Gln Ser Pro Gln Ser Ala Pro Glu Gly Glu Asp Ser
 675 680 685

SUBSTITUTE SHEET (Rule 26)

Leu Ser Pro Leu Gln Ile Pro Gln Ser Pro Leu Gln Gly Glu Asp Ser
 690 695 700
 Leu S r Ser Leu His Phe Pro Gln Ser Pro Pro Glu Trp Glu Asp Ser
 705 710 715 720
 Leu Ser Pro Leu His Phe Pro Gln Phe Pro Pro Gln Gly Glu Asp Phe
 725 730 735
 Gln Ser Ser Leu Gln Ser Pro Val Ser Il Cys Ser Ser Ser Thr Ser
 740 745 750
 Leu Ser Leu Pro Gln Ser Phe Pro Glu Ser Pro Gln Ser Pro Pro Glu
 755 760 765
 Gly Pro Ala Gln Ser Pro Leu Gln Arg Pro Val Ser Ser Phe Phe Ser
 770 775 780
 Tyr Thr Leu Ala Ser Leu Leu Gln Ser Ser His Glu Ser Pro Gln Ser
 785 790 795 800
 Pro Pro Glu Gly Pro Ala Gln Ser Pro Leu Gln Ser Pro Val Ser Ser
 805 810 815
 Phe Pro Ser Ser Thr Ser Ser Ser Leu Ser Gln Ser Ser Pro Val Ser
 820 825 830
 Ser Phe Pro Ser Ser Thr Ser Ser Ser Leu Ser Lys Ser Ser Pro Gln
 835 840 845
 Ser Pro Leu Gln Ser Pro Val Ile Ser Phe Ser Ser Ser Thr Ser Leu
 850 855 860
 Ser Pro Phe Ser Glu Glu Ser Ser Ser Pro Val Asp Glu Tyr Thr Ser
 865 870 875 880
 Ser Ser Asp Thr Leu Leu Glu Ser Asp Ser Leu Thr Asp Ser Glu Ser
 885 890 895
 Leu Ile Glu Ser Glu Pro Leu Phe Thr Tyr Thr Leu Asp Glu Lys Val
 900 905 910
 Asp Glu Leu Ala Arg Phe Leu Leu Lys Tyr Gln Val Lys Gln Pro
 915 920 925
 Ile Thr Lys Ala Glu Met Leu Thr Asn Val Ile Ser Arg Tyr Thr Gly
 930 935 940
 Tyr Phe Pro Val Ile Phe Arg Lys Ala Arg Glu Phe Ile Glu Ile Leu
 945 950 955 960
 Phe Gly Ile Ser Leu Arg Glu Val Asp Pro Asp Asp Ser Tyr Val Phe
 965 970 975
 Val Asn Thr Leu Asp Leu Thr Ser Glu Gly Cys Leu Ser Asp Glu Gln
 980 985 990
 Gly Met Ser Gln Asn Arg Leu Leu Ile Leu Ile Leu Ser Ile Ile Phe
 995 1000 1005
 Ile Lys Gly Thr Tyr Ala Ser Glu Glu Val Ile Trp Asp Val Leu Ser
 1010 1015 1020
 Gly Ile Gly Val Arg Ala Gly Arg Glu His Phe Ala Phe Gly Glu Pro
 1025 1030 1035 1040
 Arg Glu Leu Leu Thr Lys Val Trp Val Glu Glu His Tyr Leu Glu Tyr
 1045 1050 1055
 Arg Glu Val Pro Asn Ser Ser Pro Pro Arg Tyr Glu Phe Leu Trp Gly
 1060 1065 1070
 Pro Arg Ala His Ser Glu Val Ile Lys Arg Lys Val Val Glu Phe Leu
 1075 1080 1085
 Ala Met Leu Lys Asn Thr Val Pro Ile Thr Phe Pro Ser Ser Tyr Lys
 1090 1095 1100
 Asp Ala Leu Lys Asp Val Glu Glu Arg Ala Gln Ala Ile Ile Asp Thr
 1105 1110 1115 1120
 Thr Asp Asp Ser Thr Ala Thr Glu Ser Ala Ser Ser Ser Val Met Ser
 1125 1130 1135
 Pro Ser Phe Ser Ser Glu
 1140

SUBSTITUTE SHEET (Rule 26)

<210> 3
 <211> 7
 <212> PRT
 <213> Homo sapiens
 <220>
 <400> 3

Pro Rln Ser Pro Len Cln Ila
 1 5

<210> 4
 <211> 4159
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 4

```

GGTGGATGCG TTTGGGTGT AGCTAGGCTT TTTCTTTTCT TTCTCTTTTA AAACACATCT 60
AGACACGGAA AAAACACAGC TCGGATCTGA TTTTTCCTTC CTCTTTCTTC TGCTTGCTTC 120
TACTGTGTT TCTGTATTTT AAAGGCGAGA AGACGAGGSE AACAAAACCA GCTGGATCCA 180
TCCATCACCG TGGGTGGTTT TAATTTTTC TTTTTCCTCG TTATTTTTTT TTAACACACC 240
ACTCTTCACA ATGAACAAAC TGTAATTCGC AAACCTCAGC GAGACGCGX CCCCCTCGGA 300
CCTAGAAAGT ATCTTCAGG AOCDCAGAT CCGGCTGTCG GAGACCTTC TGGTGAAGAC 360
TGGCTACGCG TTCTGGGACT GOCUGGACGA GAGCTGGGCC CTCAGGCGCA TCGAGGGGCT 420
TTCAGGTAAA ATAGACTGC ACAGGAAACU CATAGAAGTT GAGCACTCGG TCCCAAAAG 480
GCAAGGAT CCGAACTTC AGATACGAAA TATCCCGCT CATTTACAT GGGAGGTGCT 540
GGATAGTTTA CTAGTCCAGT ATGGAGTGGT GAGAGCTGT GAGCACTGA ACACGACTTC 600
GCAACTGCA GTTGTAAATG TAACCTATTC CAGTAAGGAC CAGCTAGAC AAGCACTAGA 660
CAAACTGAAT GGATTTCACT TAGAGATTT CACCTTGAAA GTAGCTATA TCCCTGATGA 720
AATGGCCGCC CAGCAAAAC CTTGCAACA GCGCCGAGGT CCGCGGGGG TTGGGCAAG 780
GGGCTCCTCA AGGCAGGGGT CTCCAGGATC CGTATCCAG CAGAAACCT GTGATTTGCC 840
TCTGGCCCTG CTGGTTUCCA CCCAATTTGT TGGAGCCATC ATAGGAAAG AAGGTGCCAC 900
CATTCGGAAC ATCACCAAC AGACCCAGTC TAAATOGAT GTCCACCGTA AAGAAATGC 960
GGGGGCTGCT GAGAGTCCA TTACTATCT CTCTACTCT GAGGCCACCT CTGCGCTTC 1020
TAGTCTATT CTGGGATTA TGCATAAGGA AGCTCAGAT ATAAATTC CAGAGAGAT 1080
CCCTTGAAG ATTTTAGCTC ATATAACTT TGTGGAGCT CTATTTGCTA AAGAGGAG 1140
AAATCTTAA AAATTTGAGC AAGCACAGA CACTAAATC ACCTATCTC CATTCAGGA 1200
ATTGACGCTG TATATCTCG AACGCACTAT TACGTTTAA GGCATCTTC AGACATGTC 1260
CAAGCTGAG GAGGAGTCA TAAAGAAAT CAGGGAGCT TATGAAAATC ATATTGCTTC 1320
TATGATCTT CAAGCACAT TAATCTCTG ATTAATCTG AACGCTTGG CTCTGTTCC 1380
ACCCACTTCA GGGATGCCAC CTCCACCTC AGGGCCCCCT TCAGCATGA CTCTCCCTA 1440
CCCCAGTTT GAGCAATCAG AACGAGAGC TGTTCATCAG TTTATUCCAG CTCTATCAGT 1500
CGGTGCCATC ATCGGCCAGC AGGGCCAGCA CATCAAGCA CTTTCTUGCT TTGCTGGAGC 1560
CAATATTAG ATTGCTCCAG CGGAAGCACC AGATGCTTAA GTGAGGATGG TGATTATCAG 1620
TGGACCACCA EAGGCTCACT TCAGGCTCA GCGARGAAT TATGAAAAA TTAAGAGA 1680
AACTTTGTT AGTCTTAAAC AAGAGTGAA ACTTGAGCT CATATCAGAG TGCCATCCTT 1740
TGCTGCTGGC AGAGTTATG GAAAGGAGG CAAACGGTG ATTAACCTT AGAATTTGTC 1800
AAGTGAGAA GTTGTGTCC CTCGTGACCA GACACCTGAT GAGAAAGAC AAGTGGTTGT 1860
CAAAATAACT GGTACTTCT ATGCTTGCCA GGTGCCCCAG AGAAAAATTC AGGAATTTCT 1920
GACTCAGGTA AAGCAGCACC AACACAGAA GGCTCTGCAA AGTGGACCAU CTCAGTCAAG 1980
ACGGAAGTAA AGGCTCAGGA AACAGCTCAC CACAGAGGCA GATGCCAAC CAAAGACAGA 2040
TTGCTTAAAC AACAGATGG CGCTGACCCC CTATCCAGAA TCACATGCAC AAGTTTTTAC 2100
CTAGCCAGTT GTTCTGAGG ACCAGCCAC TTTTGAACTC CTGTCTCTGT GAGAAATGAT 2160
ACTTTATGCT CTCTGAATG TATGACACC AGCTTTTAAA CAACACAAA 2220
AAGAGGTTGG GGGAGGGAG GAAAGAGAAG AGCTCTGCAC TTCCCTTTGT TGTAGTCTCA 2280
CACTATACAA GATATTCTAA TTCTTCTTAA TATTCCTTCA TATGUCAGA AATTGGCTTA 2340
ATGATGCTTT CACTAAATC ATCAATAGA TTGCTCCTAA ATCCATTTGT TAAATTTGGA 2400
TCAGAAATAT TATCAGAGA ACTTAATGT TAGCCATTA GCATAGAAA ACTGTTCTCA 2460
GTTTTATTTT TACCTAACAC TAACATGAGT AACCTAAGGG AAGTGCTGAA TGCTGTTGSC 2520
AGGGGTATTA AACGTGCAT TTTACTCAAC TACCTCAGGT ATTCAGTAA ACATGAAA 2580
GCAAAATTTG TCCTTTTTT TGAATTTT ATATACTTTA TAATGATAGA AGTCCACCG 2640
TTTTTAAAA AATAATTTA AAATTTACA GCAATCAGT AACAGCAAA TTAAGATTTT 2700

```

SUBSTITUTE SHEET (Rule 26)

TACTTCTGGC	TGGTGACAGT	AAAGCTGGAA	AATTAATTTT	AGGGTTTTTT	GAGGCTTTTG	2760
ACACAGTTAT	TAGTTAAATC	AAATGTTCAA	AAATACGGAG	CAGTGCCTAG	TATCTGAGAA	2820
GCAGCACTAC	CATTTATTTCT	TTCAATTATA	GTGGGGAANG	TTTTTGACGG	TACTACAAA	2880
GTGTCGCAG	GAGATTTTGG	AAOGGCTGGT	TTAAATGGCT	TCAGGAGACT	TCAGTTTTTT	2940
GTITAGCTAC	ATGATTGAAT	GCATTAATAA	TGCTTTCTGC	TTCTGACTAT	CAATACCTAA	3000
AGAAAGTGCA	TCACTGAAGA	GATGCAGAC	TTTCAACTGA	CTGGCAAAA	GCANGTTTTA	3060
GCTTGTCTTA	TAGGATGCTT	AGTTTGCCAC	TACACTTCAG	ACCAATGGGA	CAGTCATAGA	3120
TGGTGTGACA	GTGTTTAAAC	CCAACAAAG	GCTACCTTTC	CATGGGGCCA	CCACTGTGAT	3180
GGGCTCACT	AAGCTATTTT	CAAGATTTT	AAGCACTGAT	AAATTAAAA	AAAAAAATA	3240
AAATAGACT	CCACCTTAAG	TAGTAAAGTA	TACAGGATT	TCTGTATACT	GTGCATCAG	3300
TTCTTTGAAA	AAAGCTCAA	AAGATAGAGA	ATACAAGAAA	AGTTTTNGGG	ATATANTTTG	3360
ATGACTGTG	AAAACATATG	ACCTTTGATA	ACGAACTCAT	TTGCTCACTC	CTTGACAGCA	3420
AAGCCCACTA	CGTACATTG	TGTTGGGTGT	GGGTGGTCTC	CAGGECACG	CTCCTCTCTG	3480
AATTTGATTT	TTGAGTTTTC	GNTTGNAGA	TGATCAGAGN	CATGTTACAC	TCATCTTAAA	3540
GGACATATNT	TATAACCCCT	TAAAAAAA	ATCCCTCCC	TCATTCTTAT	TTGAGATGA	3600
ATTTGATAC	AGACTAGATG	TCTTTCTGAA	ATCAATTAG	ACATTNTGAA	AATGATTTAA	3660
AGTGTTTTCC	TAAATGTTCT	CTGAAACAA	GTTCCTTTTC	TAGTTTTAAC	CAAAAGGTG	3720
CCCTTTTGT	CACITGGTTTC	TCTTACATT	CATGATTTT	TTTTCTCACA	ATGAATTAAA	3780
ATTGCTAAA	TCATGGACTG	GCTTTCTGCT	TGGAATTCAG	GTAAGATGTG	TTTAAAGCCA	3840
GAGCTTTTCT	CAGTATTTGA	TTTTTTTCCC	CATATTTGA	TTTTTTTAAA	ATATACACAT	3900
AGGAGCTGCA	TTTAAACCT	GCTGGTTTAA	ATTCTGTGAN	ATTCACCTTC	TAGCUTTTTA	3960
GTTAGCCNAA	TCANNAATTA	CTTTTACTTA	AGCATTTGTA	ATTTGGAGTA	TCTGCTACTA	4020
CTAAGGAAAT	AATTCNATTA	TTGAGTTTTC	TACTCNCNAA	ANATGGGTCA	TTCTCTATGN	4080
ATAATGTNCC	CCCAATGCAG	CTTCATTTTC	CAGANACCTT	GACGCAGGAT	AAATTTTTTC	4140
ATCATTTAGG	TCCCCAAA					4159

<210> 5
 <211> 1708
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 5

AGGACGCTG	CCGCACCGCC	CCAGTTTACC	CCGCGGAGCC	ATCATGAAGC	TGAATGCCCA	60
CCAGTTGAG	AACCATGCCC	TGAAGTCTC	CTACATCCCC	GATGAGCAGA	TAGCAGGAG	120
ACCTGAGAA	GGGCGCCGAG	GGGGCTTTGG	CTCTGGGGCT	CAGCUCGCCC	AGGGCTCACC	180
TGTGGCAGCG	GGGGCCCGAG	CCAAGCAGCA	GGAGTGGAC	ATCCTCCCTC	GGCTCCTGGT	240
GGCCACCCAG	TATGTGGGTG	CCATTTATGG	CAAGGAGGGC	GCCACCATCC	GCACATTCAC	300
AAACACAGCC	CAGTCCAGCA	TAGACCTGCA	TAGGAGGGAG	AACGCAGGTG	CAGCTGAAA	360
AGCCATCAGT	GTGCACTCCA	CCCTGAGGG	CTGCTCCTCC	GCTTGTAAGA	TCATTTTGA	420
GATTATGCAT	AAAGAGGCTA	AGGACACCAA	AAAGGCTGAC	GAGGTTCCCC	TGAAGATCCT	480
GGCCCATAT	AACTTTGTAG	GGCGTCTCAT	TGCAAGGAA	GAAGCGAAC	TGAAGAGGT	540
AGAGCAGAT	AAAGAGAGCA	AAATCACCAT	CTCTCCTGTC	CAAGACCTTA	CCCTTTTACA	600
CCCTGAGAGG	ACCTTACTG	TGAAGGGGCC	CATCGAGAA	TGTTGCAAGG	CCGACCAGGA	660
AAATATGAAG	AAAGTTCCGG	AGGCTTATGA	GAATGATGTG	GCTGCCATGA	GCTCTCACCT	720
GATCCTGCGC	CTGACCTGG	CTGCTGTAGG	TCTTTTCCCA	GCTTCATCCA	CCGCACTCCC	780
GGCGCTCCC	AGCAGCGTGA	CTGGGCTGCG	TCCCTATAGC	TCCCTTATGC	AGGCTCCCGA	840
GGAGGAGTG	GTCCAGCTGT	TTATCCCGCG	CCAGGCACTG	GGCCCATCA	TGGGCAAGAA	900
GGGGCAGCAC	ATCAACAGC	TCTCCCGGTT	TGCCAGCGCC	TCCATCAAGA	TTGCACCACC	960
CGAAACACCT	GACTCCAAAG	TTCTGATGGT	TATCATCACT	GGACCGCCAG	AGGCCCAATT	1020
CAGGCTCAG	GGAGGAATCT	ATGGCAAACT	CAAGGAGGAG	AACTTCTTTG	GTCCCAAGGA	1080
GGAGGTGAG	CTGGAGACCC	ACATACGTGT	GCCAGCATCA	GCAGCTGGCC	GGGTCTATGG	1140
CAAGGTGGA	AAACGGTGA	ACGAGTTGCA	GAATTTGACG	GCAGCTGAGG	TGGTAGTACC	1200
AAGAGGCTAG	ACCCCTGATG	AGAACGACCA	GGTCATCTGT	AAATTCATCG	GACATTTCTA	1260
TCCAGTCCAG	ATGGCTCAAC	GGAGATCCG	AGCATCCTTG	GCOCAGGTTA	AGCAGCAGCA	1320
TCAGAGGGGA	CAGAGTAAAC	AGGCCAGGC	ACGGAGGAG	TGACAGGCC	CTCCCTGTCC	1380
CTTNGAGTCC	AGGACACAA	CGGGCAGAAA	TGGAGAGTGT	GCTCTCCTCC	GCAGGCTTGA	1440
GAATGAGTCC	GAATCCGGGA	CACNTGGGCC	GGGCTGTAGA	TCAGGTTTGC	CCATTTGATT	1500
GAGAGAGATG	TTCCAGTGAG	GAACCTGAT	CTNTAGCCCC	CAACACCCA	CCCATTTGGC	1560
CCACACTGT	NTGCCCTTCG	GGGTGTCAGA	AAATNTAGCG	CAAGGCACCT	TTAAGCTGG	1620
ATGTTTTAAA	GAAGCTCTCC	AGGCCCCACC	AAAGGGGTGG	ATCACACCTC	AGTGGGAGAA	1680
AAATAAAAT	TTCTTCAAG	TTTTTAAA				1708

SUBSTITUTE SHEET (Rule 26)

<210> 6
 <211> 3412
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 6

```

GGCAGCGGAG GAGCCGAGGA GCGCCGGGTA CCGGCCCGGG GAGCGCGCGG GCTCTCGGGG 60
AAGAGACGGA TGATGACAA GCTTTACATC GGGACCTGA GCCCGCGCGT CACCGCGGAC 120
AGCTTCGCGC AGCTCTTTGG GACAGGAAG CTGCCCTGG CCGGACAGGT CCGCTGGAAG 180
TCGGGCTACG CCTTCCTGGA CTACCCCGAC CAGACTCGG CCNTCCGCGC CATCGAGACC 240
CTCTCGGUTA AAGTGGAAAT GCATGGGAAA ATCATCGAAG TTGATTACTC AGTCTCTAAA 300
AAGCTAAGGA GCGGGAATAT TCAGATTGGA AACATCCCTC CTCACCTGCA GTGGGAGGTG 360
TTGATGGAU TTTTGGCTCA ATATGGGACA GTGGAGATC TGGACAAAT CAACACAGAC 420
ACAGAAACCG CCGTTGTCAA CGTCACATAT GCAACAGAG AGAAGCAAA AATAGCCATG 480
GAGAGGCTAA GCGGGCATCA GTTTGAGAAC TACTCCTTCA AGATTTCCTA CATCCCGGAT 540
GAGAGGTGA GCTCCCTTTC GCGCCCTCAG CGAGCCACG GTGGGGAACA CTCCTCCCGG 600
GAGCAGGCGC AGCGCCCTGG GGGCAGCTCT CAGGCGAGAC AGATTGATTT CCGGCTGCGG 660
ATCCTGGTCC CCGCCAGTTT TGTGGGTGCC ATCATCGGA AGGAGGGCTT GACCATAAAG 720
AACATCACTA AGCAGACCCA GTCCCGGCTA GATATOCATA GAAAGAGAA CTCCTGGAGCT 780
GCGAGGAGAG CTGTCAACAT CCATGCCACC CCAGAGGGA CTCTGGAAGC ATGCGGCATG 840
ATTCTTGAAA TCTTGCAGAA AGAGGCGAGT GAGACCAAC TAGCCGAGA GATTCTCTG 900
AAAATCTTGG CACACAATGG CTGGGTGGA ABACTGATTG GAAAGAACG CAGAAATTG 960
AAGAAAATTG AATATGAAC AGGGACCAAG ATAACAATCT CATCTTTGCA GATTTTGAGC 1020
ATATACACC CGGAAGAAC CATCACTGTG AAGGCGACG TTGAGGCGTG TGCCACTGCT 1080
GAGATAGAGA TTATGAGAA GCTGCGTGAG GCCTTTGAAA ATGATATGCT GGCTGTTAAC 1140
CAGCAAGCCA ATCTGATCCC AGGGTTGAAC CTCAGCGCAC TTGGCATCTT TTCAACAGGA 1200
CTGTCCGTGC TATCTCCACC AGCAGGGCCC CGCGAGCTC CCGCGGCTGC CCCCTACCAC 1260
CCCTTCACTA CCGACTCCGG ATACTTCTCC AGCCTGTACC CCGATCAACA GTTTGGCCCG 1320
TTCCCGCATC ATCACTCTTA TCCAGAGCAG GAGATTGTGA ATCTCTTCAI CCAACCCAG 1380
GCTGTGGGCG CCATCATCGG GAGAGAGCGG CCACACATCA AACAGTGGC GAGATTCCCC 1440
GGAGCCTCTA TCAGATTGCG CCGTGGCGAA GCGCCAGACG TCAGCGAAGG GATGCTCATC 1500
ATCAGCGGGC CACCCGAGCG CCACTTCAGC GCGCAGGAG GGATCTTTGG GAAACTCAA 1560
GAGGAAACT TCTTTAACC CAAAGAGGAA CTGAAGCTGG AAGCGUATAT CAGACTGCC 1620
TCTTCCACAG CTGGCCGGGT GATTGGCAAA CCGTGGCAAG COGTGACGA ACTCCAGAAC 1680
TTAACCAGTG CAGAGTCTAT CGTGGCTCCT CACCAACGCG CAGATGAAA TGAGGAAGTG 1740
ATCGTCAAG TTATCGGGCA CTCTTTTGGT AGCCAGACTG CACAGCGCAA GATCAGGGA 1800
ATTGTACAA AGGTCAAGCA GCAGGAGCAG AAATACCTTC AGGAGGTGCG CTCACAGCGC 1860
AGCAGTGAAG GCTCCACAG GACCCAGCAA AACACGAGT GAATGTAGCC CTTCACACAC 1920
CTACAGAAAT GAGCCAAAC GCGCCAGCC AGATCGGAG CAAACCAAG ACCATCTGAG 1980
GATGAGAGG TCTGCGGAG GCGCCAGGGA CTCTCCCGAG GCGCTGAGAA CCGCAGCGCC 2040
CGAGGAGGG GCGGGAAGGT CAGCCAGGTT TCCAGAACCC ACCGAGCGCC CCGTCCCGCC 2100
CCCGAGGGCT TCTGAGGGT TCAGCCATCC ACTTCACCAT CCACTCGGAT CTCTCTGAA 2160
CTCCACGAG GCTATCCCTT TTAGTTGAAC TAACATAGGT GAAGGTGTTC AAGGCCAAGC 2220
AAATGACACA CCGTTTCTT GTGCAAAATC GTCTCTTAC ATGTGTGTAC ATATTAGAAA 2280
GGGAGATGT TAGATATCT GGCCTGTGG TTACACAGGG TGCTGACAG GGTAAATAT 2340
TTTAGAATA ATATATCAA TAACCAACT AACTCCATTT TTTAATCAAT TATTATTTT 2400
TTTTCTTTT TAAAGAGAA GCGAGGCTTT CTAGACTTTA AAGAATAAG TCTTTGGAG 2460
GTCTCACGG GTAGAGAGGA GCTTTGAGGC CACCCGCACA AATTCACCC AGAGGCAAT 2520
CTCCTCGGA GGACACTCAC GGCAGTTCTG GATCACCCTT GTATGTCAAC AGAAGGGATA 2580
CGCTCTCCTT GAGAGGAAA CTCTGTEACT CCTCATGCC CTCTAGCTCA TACACCCAT 2640
TCTCTTTGCT TCACAGGTT TAACTGCTT TTTTGCATC TGCTATATA TTCTCTGCT 2700
CTCTCTGTT ATCTCTGCC TCCCTCCCTT CCGCTTCTTC TCCATCTCC TCTTTTGAA 2760
TTCTCTATC CCGCATCTC AATCCGCTAT CTAGCCACC CCCCCCCCC AGGCAAGCA 2820
GTGCTCTGAG TATCATCA CACAAAGGA ACAGAGCGA AACACACAA CAGGCTCAA 2880
CTTACACTTG GTTACTCAA AGAACAAGAG TCAATGCTAC TTGTCTAGC GTTTTGGAG 2940
AGGAAACAG GAACCCACA AACCAACCA TCAACCAAC AAGAAAAAA TTCCCAATG 3000
AAGAATGTA TTTTGTCTT TTGCAATTTT GGTATAGC CATCAATTT CAGCAAAATG 3060
ATTCTTTCT TTAAGAAAA AATGTGGAG GAAAGTGAA ATTTACCAAG GTTGTGGC 3120
CAGGCGGTTA AATTCACAGA TTTTTTAA CAGAAACCA CACAGAGAA GCTACCTCAG 3180
GTGTTTTTAC CTCAGCACCT TGCTCTTGT TTTCCCTTA AGATTTTCTA AGCTGATAG 3240
TTGAGCATT TTTTATTTT TTAATAAAA ATGAGTGER AAAAAATAA GATATCAACT 3300
GCCAGCCTGG AGAAGGTGAC AGTCCAAGT TGCACAGCT GTTCTGAAT GTCTTCGCT 3360
AGCCAGAAC CNATATGCC TTCTTTTGA CAACCTTGA AATCTTTAT TT 3412

```

SUBSTITUTE SHEET (Rule 26)

<210> 7
 <211> 1946
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 7

```

GCTGTAGCGG AGGSGUTGGG GGGCTGCTCT GTCCCTCTTC TTGCGCGCTB CGGCTTCAGC 60
CCACCCAGTG GCCGGGGTGG GAGGCGGAGT GCTCAGCTTC CCGGGTTAGG AGCCGGAAAA 120
TTCAAATCCG AATATTCCA CCCAGCTCC GATGGGAAGT ACTGGACAGC CTGCTGGCTC 180
AGTATGGTAC AGTAGAGAAC TGTGAGCAAG TGAACACCGA GAGTCAGACG GCAGTGGTGA 240
ATGTACCTTA TTCCACCGG GAGCAGACCA GGCAGCCAT CATGAAGCTG AATGGGCCAC 300
AGTTGGAGAA CCGTGCCCTG AAGGTCTCTT ACATCCCGGA TGAGCAGATA GCACAGGAC 360
CTGAGAAATG GCGCCGAGGG GCGTTTGGCT CTCGGGCTCA GCGCCGCCAG GGGTCACCTG 420
TGGCAGCGGG GCGCCGAGCC AAGCAGCAGC AAGTGGACAT CCGCCCTCGG CTCCTGGTGC 480
CCACCCAGTA TGTGGGTGCC ATTATTGGCA AGGAGGGGGC CACCATCCCC AACATCACAA 540
AACAGACCCA GTCCAAATA GACGTCCATA GGAAGAGAA CGCAGGTCCA GCTGAAAAAG 600
CCATCAGTGT GCACTCCACC CCTGAGGGCT GCTCCTCCCG TTGTAAGATG ATCTTGGAGA 660
TTATGCATAA AGAGGCTAAG GACACCAAAA CCGCTGACGA GGTTCCTCTC AAGATCCTGC 720
CCCATTAATA CTTTGTAGGG GCTCTCATTC GCAGGGAAGG ACGGAACCTG AAGGAGGTAG 780
AGCAGATAC CCAGACAAA ATCAACATCT CCTCGTTGCA AGACCTTACC CTTTACACCC 840
CTGAGAGGAC CATCACTGTG AAGGGGGCCA TCGAGAATTA TTGCAUGGOC GAGCAGGAAA 900
TAATGAAGAA AGTTCGGGAG GCTTATGAGA ATGATCTGGC TGCCATGAGC TCTCACCTGA 960
TCCCTGGUCT GAACCTGGCT GCTGTAGGTC TTTTCCCGC TTCTCCAGC GCAGTCCCGC 1020
CGCTTCCAG CAGCTTACT GGGCTGCTC CCTATAGCTC CTTTATGACG GCTCCCGAGC 1080
AGGAGATGGT GCAGGTGTTT ATCCCGGCC AGGCACTGGG CGCCATCATC GGCAAGAGG 1140
GGGAGCAGAT CAACAGCTC TCCCGGTTG CAGCGCCTC CATCAAGAT GCACCAACCG 1200
AACACCTGA CTCCAAAGT CGTATGGTTA TCATCACTGG ACCGCCAGG GCCCAATCA 1260
AGGCTCAGGG AAGATCTAT GGCACACTCA AGGAGGAGAA CTTCTTTGT OCCAAGGAGG 1320
AAGTGAAGCT GGAGACCCAC ATACGTGTGC CAGCCTCAGC AGCTGGCGGG GTCATTGGCA 1380
AAGGTGGAAG AACGGTGAAC GAGTTGACGA ATTTGACGGC AGCTGAGGTG GTAGTACCAA 1440
GAGACACGAC CCTGATGAG AACGACAGG TCATCGTGA AATCATCGGA CATTCTATG 1500
CCAGTCAGAT GGCTCAACGG AAGATCCGAG ACATCCTGGC CCAGGTTAAG CAGCAGCTC 1560
AGAAGGACA GAGTACCCAG GCGCAGGAC GAGGAAGTC ACCAGCCCTT CCGTGTCCCT 1620
TNGAGTCCAG GACACACAC GGCAGATATC GAGAGTGTCC TCTCCCGGC AGGCGTGAGA 1680
ATGAGTGGGA ATCCGGGACA CNTGGGCGG GCTGTAGATC AGGTTTGGCC ACTTGATTGA 1740
GAAAGATGTT CCACTGAGGA ACCCTGATCT NTCAGCCCA AACACCCAC CAATTGGCCC 1800
AACACTGTTT GCGCTCCGG GTGTCAAGAA TTNTAGCGCA AGGCACTTT AAACCTGGAT 1860
TGTTTAAGA AGCTCTCCAG GCODACCAA GAGGTGGAT CACACCTCAG TGGGAAGAAA 1920
ATAAATAATT CCTTCAGCTT TAAAAA 1946

```

<210> 8
 <211> 3283
 <212> DNA
 <213> Homo sapiens
 <220>
 <400> 8

```

GGCAGCGGAG GAGGCGAGGA GCGCCGGTA CCGGGCCGGC GAGGCGGGG GCTCTCCGGG 60
AAGAGACGGA TGATGACAA GCTTTACATC GGGAACTGA GCGCCGCCG CACCGCCGAC 120
GACCTCCGGC AGCTCTTGG GGACAGGAG CTGCCCTGG CCGGACAGG CCGCTGAAC 180
TCCGGCTACG CCTTCGTGA CTACCCCGAC CAGAACTGG CCATCCGGC CATCGAGAC 240
CTCTCGGTA AAGTGAATT GATGGGAA ATCATGGAAG TTGATTACTC AGTCTTAA 300
AAGCTAAGGA GCAGGAAAT TCAGATTGCA AACATCCCTC CTCACCTGA GTGGGAGGTG 360
TTGGATGGAC TTTTGGCTCA ATATGGGACA GTGGAGATG TCGAACAGT CAACACAGC 420
ACAGAACCG CCGTTGTCA CTTACATAT GCAACAGAG AAGAAGCAA ATAGCCATG 480
GAGAGCTTA GCGGGCATCA GTTGAAGAC TACTCTTCA AGATTTCTTA CATCCCGAT 540
GAAGAGGTGA GCTCCCTTC GCGCCCTCAG CGAGCCAGC GTGGGACCA CTCTTCCCG 600
GAGCAGGCG ACCGCCCTG GGCACCTCT CAGGCCAGC AGATTGATTT CCGCTGCGG 660
ATCCTGCTCC CCACCCAGT TGTGGTGCC ATCATCGGA AGGAGGGCTT GACCATAAAG 720
AACATCACTA AGCAACCCA GTCCCGGTA GATATCCATA GAAAGACAA CTCTGAGCT 780
GCAGAGAGC CTGTACCAT CCAAGGCGG CTTCTGAGC ATGCCCATG 840
ATTCTTGAA TCATGAGAA AGAGCAGAT GAGACCAAC TAGCCGAGA GATCTCTCTG 900
AAATCTTGG CACCAATGG CTGTGTTGA AGACTGATT GAAAGAGAG CAGAAATTTG 960

```

SUBSTITUTE SHEET (Rule 26)

AGGAAATTG	AACATGAAAC	AGGGACCAAG	ATAACAATCT	CATCTTTGCA	GGATTTGAGC	1020
ATATACACC	CGGAAGAAC	CATCACTGTC	AAGGGCACAG	TTGAGGCGTG	TGCCAGTGCT	1080
GACATAGAG	TTATGAGAA	GCTGCGTGAG	CCCTTTGAAA	ATGATATGCT	GGCTGTTAAC	1140
ACCCACTCCG	GATACTTCTC	CAGCCTGTAC	CCCCATCACC	AGTTTGGCCC	GTTCCCGCAT	1200
CATCACTCTT	ATCCAGAGCA	GGAGATTGTC	AATCTCTTCA	TCCCAACCCA	GGCTGTGGGC	1260
GCATCATCG	GGAGAGAGGG	GGCACACATC	AAACAGCTGG	CGAGATTCCG	CGGAGCCTCT	1320
ATCAGATTG	CCTCTGCGGA	AGCCCCAGAC	GTCAGCGAAA	GGATGGTCAT	CATCACCAGG	1380
CCACCCGAG	CCAGTTTCAA	GGCCCCAGGA	CGGATCTTTG	GGAACTGAA	AGAGGAAAAC	1440
TTCTTTAAC	CTCAGAGAGA	AGTGAGGCTG	GAAAGCGATA	TCAGAGTGCC	CTCTTCCACA	1500
GCTGCCCGGG	TGATTTGCGA	AGGTGGCAAG	ACCTGGAACG	AATGCGAAG	CTTAAACAGT	1560
GCAGAGTCA	TGCTGCTCG	TGACCAAGC	CCAGATGAAA	ATGAGGAAT	GATCGTCAGA	1620
ATTATCGGG	ACTTCTTTGC	TAGCCAGACT	GCACAGCGCA	AGATCAGGGA	AATTGTACAA	1680
CAGGTGAGC	AGCAGGAGCA	GAAATACCTT	CAGGGAGTCG	CCTCACAGCG	CAGCAAGTCA	1740
GGCTCCCA	GGCAGCAGCA	AAACAAACGA	TGAATGTAGC	CTTCCACCA	CCTGACAGAA	1800
TGAGACCAA	CGCAGCCAGC	CAGATCGGGA	CCAAACCAA	GACCATCTGA	GGATGAGAA	1860
GTCTCCGGAG	CGGGCCAGGG	ACTCTGCCGA	GGCCCTGAGA	ACCCAGGGG	CCGAGGAGGG	1920
CGGGGGAGG	TCAGCCAGGT	TTGCCAGCAC	CACCCAGCCC	CGCTTCCCG	CCCCAGGGC	1980
TTCTGCAGGC	TTCAGCCATC	UACTTCACCA	TCCACTCGGA	TCTCTCTGA	ACTCCCACGA	2040
CCCTATCCCT	TTTAGTTGAA	CTACATAGC	TGAACCTCTT	CAAGGCCAAG	CAAAATGCAC	2100
AOCCTTTTC	TCTGGCAAT	CGTCTCTGTA	CATGTCTGTA	CATATTAGAA	AGGGAAGATG	2160
TTPAGATATG	TGGCCTGTGG	GTTACACAGG	GTGCTGCGAG	CGTAAATATA	TTTATAGAA	2220
AATATATCAA	ATAACTCAAC	TAACTCCAAT	TTTTAATCAA	TTATTATTTT	TTTTTTCTTT	2280
TTAAGAGAA	AGCAGGCTTT	TCTAGACTTT	AAAGAAATAA	GTCTTTGGGA	GGTCTCACGG	2340
TETAGAGAGG	AGCTTTGAGG	CCACCCGCA	AAAATTCACC	CAGAGGGGAA	TCTCTGCGGA	2400
AGGACACTCA	CGCCAGTTCT	GGATCACCTG	TGATATCTCA	CAGAGGGGAT	ACCGTCTCCT	2460
TGAGAGGAA	ACTCTGTCAC	TCTCATGCCC	TGCTTAGCTC	ATACACCCAT	TTCTCTTTGC	2520
TTACAGGTT	TTPAAGTGGT	TTTTTGCAAT	CTGCTATATA	ATTCTCTGTC	TCTCTCTGTT	2580
TATCTCTCCC	CTCCCTCCCC	TCCCTTCTT	CTCCATCTCC	ATTCTTTTGA	ATTCTCTGTT	2640
CCCTCCATCT	CAATCCCGTA	TCTACGCAAC	CCCCCCCCC	CAGGCAAGC	AGTGCTCTGA	2700
GTATCACATC	ACACAAAGG	AACAAAGG	AAACACACAA	ACCAAGCTCA	ACTTACACTT	2760
GGTTACTCAA	AGCAACAGA	GTCAATGGTA	CTTGCTCTAG	CGTTTGGGA	AGGGAAGACA	2820
GGAAACCAAC	AAACCAACCA	ATCAACCAA	CAAAGAAAA	ATTCCACAT	GAAGAAATGT	2880
ATTTTCTCTT	TTTGCAATTT	GGTGATAGG	CCATCATAT	TCAGCAAAAT	GATTCCTTTC	2940
TTTAAAGAAA	AAATCTGGA	GGAAAGTGA	AATTTACCAA	GGTTGTTGGC	CCAGGGCGTT	3000
AAATTACAG	ATTTTTTTTA	CGAGAAAGC	ACACAGAGAG	AGCTACCTCA	GGTGTTTTTA	3060
OCTCAGCAC	TTGCTCTTGT	GTTTCCCTTA	GAGATTTTCT	AAAGCTGATA	GTTTGGAGCAT	3120
TTTTTTATTT	TTTTTATATA	ATGAGATTGG	AAAAAAATA	AGATATCAAC	TGCCAGCCTG	3180
GAGAAAGTCA	CAGTCCAAGT	GTGCAACAGC	TGTTCTGAAT	TGTTTCCG	TAGCCAAGAA	3240
CCNATATGGC	CTTCTTTTGG	ACAAACCTTG	AAAATGTTTA	TTT		3283

